

# Power tools 2019

# RYOBI®



[ryobitools.eu](http://ryobitools.eu)

DESIGNED TO DO MORE

A  
WORLDWIDE  
LEADER IN

DIY



3

YEAR\*  
WARRANTY

Our tools are built to last.  
So is our warranty.

You want more out of everything. Which is what Ryobi® delivers. And now thanks to its advanced technology and innovation, Ryobi brings you their first ever 3 year warranty\* for all of their electric and cordless tools, including the 18V ONE+ System and the 36V range of tools.\*\*

For T&Cs and more information, please visit [ryobitools.eu](http://ryobitools.eu)

**At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.**

## Cordless Tools

18V ONE+ Power tools.....	4–37
18V ONE+ Garden tools .....	38–48
18V Batteries & Chargers.....	49–53
4V/7V/12V/14.4V Power tools .....	54–56

## Corded Tools

Drilling .....	58–61
Metal Working .....	62–64
Sawing.....	64–66
Woodworking .....	67–72
Decorating.....	73

## Benchtop Tools & Stands

Benchtop Tools & Stands .....	75–80
-------------------------------	-------

## Accessories

Accessories.....	81
------------------	----



We offer a 3 year European warranty\* on our **battery powered or electric tools\*\*** excluding accessories and components subject to natural and normal wear and tear. Please refer to our warranty conditions in the user's manual for further information.

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

PLEASE NOTE: Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice.

\*Registration needs to take place within 30 days from the date of purchase. Registration is required for extension for the 3 year European warranty. Please visit our website [www.ryobitools.eu](http://www.ryobitools.eu) for detailed information about warranty conditions and extension registration. This warranty is valid in the European Community, Switzerland, Iceland, Norway, Liechtenstein, Turkey and Russia. Outside these areas, please contact your authorised Ryobi® dealer to determine if another warranty applies.

\*\* This does not include any petrol tools which are subject to a 2 year Ryobi® warranty without registration.

**THIS EUROPEAN WARRANTY DOES NOT AFFECT YOUR STATUTORY RIGHTS. ALL STATUTORY WARRANTIES ARE SUBJECT TO APPLICABLE LAW.**



## ONE+ Range

---

### ONE+ Power Tools

---

Drilling & Fastening	10–15
Nailers	16
Metal Working	17
Woodworking	18–23
Sanding	24–26
Inflators & Blowers	27
Cleaning	28–30
Automotive	31
Craft	32–33
Lifestyle	34–35
Lighting	36–37

### ONE+ Garden Tools

---

Lawn Care	38–42
Trees and Hedges	43–45
Garden Clean Up	46–47
Specialty Outdoor Tools	48



## **+** BUY THE TOOLS YOU WANT

**at the time you need them...**

...and avoid paying for excess batteries and chargers. With everything from drills to radios, trimmers to seed spreaders the choice is there for you to grow your family of tools.

# RYOBI®



# tools

for the home and garden, powered by

# one

# battery



## CHOOSE A KIT...

Buy any kit with tool, battery & charger included to start your family.

OR

## PICK A TOOL...

expand your family for less by buying individual bare tools, batteries or chargers.



# The battery that thinks for itself.



## Fuel Gauge

The simplest way to monitor your battery life and manage your workload.

## Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.

## High Power Cells

High performance cells minimise heat generation and provide the power for more demanding applications.

**Lithium+18V**  
**HIGH ENERGY**

UP TO **3X** \*\*  
MORE RUNTIME


**DRILLS UP TO** **1080\*** Holes

**CUTS UP TO** **600\*** Meters<sup>2</sup>

**SAW UP TO** **320\*** Meters



**IntelliCell™ battery technology**  
Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.



\* When using a 9.0Ah battery with tools R18DD5 / RLM1833B / R18CS. Runtime can vary depending on tool and application.

\*\* Up to 3 x runtime is based on example of R18CS cutting 18mm ply comparing a 9.0Ah battery pack to a 5.0Ah battery pack

# BRUSHLESS™

## INTELLIGENT PERFORMANCE




### Power

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.



### Intelligent performance

A microprocessor constantly monitors and regulates the motor to maximise runtime.



### The battery that thinks for itself

Uniquely manages its own power to deliver optimum runtime for any ONE+ tool and application.







**MORE  
COMPACT**

**MORE  
RUNTIME**

**MORE  
POWER**





## R18PD7-0 18V Cordless Brushless Percussion Drill

**NEW**

- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- All Metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-410 / 0-1800
Max. torque (Nm)	85
Chuck capacity (mm)	13
Max. drilling masonry (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	54
Max. percussion rate (bpm)	5330 / 23400
Torque settings	24
Weight with battery pack (kg)	2.1
Article Number	5133003941
EAN Code	4892210164315

Also Available as

<b>x2</b>	18V Cordless Brushless Percussion Drill (2x2.0Ah)	
	Name: R18PD7-220B	Product Code: 5133004295

Standard equipment (R18PD7-0)  
Double ended bit



## R18DDBL-0 18V Cordless Brushless Drill/Driver

- Brushless drill driver ideal for drilling in wood or metal and screw driving
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-440 / 0-1700
Max. torque (Nm)	60
Chuck capacity (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	50
Torque settings	10
Weight with battery pack (kg)	1.7
Article Number	5133002437
EAN Code	4892210135629

Also Available as

<b>x2</b>	18V Cordless Brushless Drill Driver (2x2.0Ah)		<b>x2</b>	18V Cordless Brushless Drill Driver (2x2.5Ah)	
	Name: R18DDBL-220S	Product Code: 5133003435		Name: R18DDBL-225B	Product Code: 5133003611

Standard equipment (R18DDBL-0)  
Double ended bit



## R18PDBL-0 18V Cordless Brushless Percussion Drill

- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed (rpm)	0-440 / 0-1700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	10
Weight with battery pack (kg)	1.7
Article Number	5133002438
EAN Code	4892210135636

Also Available as

<b>x2</b>	18V Cordless Brushless Percussion Drill (2x2.0Ah)		<b>x1</b>	18V Cordless Brushless Percussion Drill (5.0Ah + 2.0Ah)	
	Name: R18PDBL-220S	Product Code: 5133003436		Name: R18PDBL-252S	Product Code: 5133003614

Standard equipment (R18PDBL-0)  
Double ended bit

# 18V Compact Brushless Drills

R18DD5

## Power

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.

## e-Torque™

Electronic clutch control automatically drives screws flush for a perfect finish every time, without the need to manually select the correct torque setting.



**BRUSHLESS**  
INTELLIGENT PERFORMANCE

**COMPACT**  
AND  
**ERGONOMIC**



**R18PD5-0**

**18V Cordless Brushless Percussion Drill**

**NEW**

- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- e-Torque™ control automatically drives screws flush for a perfect finish every time
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-400 / 0-1400
Max. torque (Nm)	50
Chuck capacity (mm)	13
Max. drilling masonry (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	32
Max. percussion rate (bpm)	6800 / 23800
Torque settings	Automatic
Weight with battery pack (kg)	1.5
Article Number	5133003595
EAN Code	4892210156631

Also Available as

<b>x2</b>	18V Cordless Brushless Percussion Drill (4.0Ah + 2.0Ah)
Name:	R18PD5-242S
Product Code:	5133003850

<b>x2</b>	18V Cordless Brushless Percussion Drill (2x2.0Ah)
Name:	R18PD5-220S
Product Code:	5133003735

Standard equipment (R18PD5-0)

Double ended bit



**R18DD5-0**

**18V Cordless Brushless Drill/Driver**

**NEW**

- Brushless drill driver ideal for drilling in wood or metal and screw driving
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- e-Torque control automatically drives screws flush for a perfect finish every time
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-400 / 0-1400
Max. torque (Nm)	50
Chuck capacity (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	32
Torque settings	Automatic
Weight with battery pack (kg)	1.4
Article Number	5133003596
EAN Code	4892210156648

Also Available as

<b>x1</b>	18V Cordless Brushless Drill/Driver
Name:	R18DD5-220S
Product Code:	5133003733

Standard equipment (R18DD5-0)

Double ended bit

## **ONE+** R18PD3-0 18V Cordless Percussion Drill

**NEW**

- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-500 / 0-1800
Max. torque (Nm)	50
Chuck capacity (mm)	13
Max. drilling masonry (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	38
Torque settings	24
Weight with battery pack (kg)	1.7
Article Number	5133002888
EAN Code	4892210149145

Also Available as

<b>x2</b>	18V Cordless Percussion Drill (2x2.0Ah)		<b>x2</b>	18V Cordless Percussion Drill (4.0Ah + 2.0Ah)	
	Name: R18PD3-220S	Product Code: 5133003342		Name: R18PD3-242S	Product Code: 5133003820

Standard equipment (R18PD3-0)

Double ended bit

## **ONE+** R18DD3-0 18V Cordless Drill/Driver

**NEW**

- Cordless drill driver ideal for drilling in wood or metal and screw driving applications
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-500 / 0-1800
Max. torque (Nm)	50
Chuck capacity (mm)	13
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.7
Article Number	5133002889
EAN Code	4892210149152

Also Available as

<b>x2</b>	18V Cordless Drill/Driver (2x2.0Ah)		<b>x2</b>	18V Cordless Drill/Driver (1x5.0Ah & 1x2.0Ah)	
	Name: R18DD3-220S	Product Code: 5133003348		Name: R18DD3-252S	Product Code: 5133003353

Standard equipment (R18DD3-0)

Double ended bit

## **ONE+** R18SDS-0 18V Cordless SDS+ Rotary Hammer Drill

- Pneumatic hammer drill ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Chisel function ideal for applications such as light tile removal
- Pneumatic hammer mechanism delivers 1.3J of impact energy making it easy to drill in hard materials like concrete
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-5000
Blow energy (J)	1.3
Max. drilling wood (mm)	16
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight with battery pack (kg)	2.1
Article Number	5133002305
EAN Code	4892210130211

Also Available as

<b>x1</b>	18V Cordless SDS+ Rotary Hammer Drill (2.5Ah)	
Name: R18SDS-125S	Product Code: 5133003818	

Standard equipment (R18SDS-0)

None

## ONE+ R18PD2-0 18V Cordless Percussion Drill

**NEW**

- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Keyless chuck for quick and easy bit changes
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-400 / 0-1350
Max. torque (Nm)	40
Chuck capacity (mm)	10
Max. drilling wood (mm)	32
Max. drilling steel (mm)	10
Max. drilling masonry (mm)	10
Torque settings	24
Weight with battery pack (kg)	1.5
Article Number	5133003815
EAN Code	4892210161468

Also Available as

<b>x2</b>	18V Cordless Percussion Drill (2x1.3Ah)
Name:	R18PD2-213G
Product Code:	5133003824

<b>x1</b>	18V Cordless Percussion Drill (1x1.3Ah)
Name:	R18PD2-113S
Product Code:	5133003825

**Standard equipment (R18PD2-0)**

Double ended bit

## ONE+ R18DD2-0 18V Cordless Drill/Driver

**NEW**

- Cordless drill driver ideal for drilling in wood or metal and screw driving applications
- Keyless chuck for quick and easy bit changes
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	40
Max. drilling wood (mm)	32
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.4
Article Number	5133003816
EAN Code	4892210161475

**Standard equipment (R18DD2-0)**

Double ended bit

Also Available as

<b>x2</b>	18V Cordless Drill/Driver (2x2.0Ah)
Name:	R18DD2-220S
Product Code:	5133003821

<b>x2</b>	18V Cordless Drill/Driver (2x1.3Ah)
Name:	R18DD2-213S
Product Code:	5133004374

## ONE+ RAD1801M 18V Cordless Right Angle Drill

- Cordless right angle drill ideal for drilling in wood and metal or driving screws in tight spaces
- Keyless chuck for quick and easy bit changes
- LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits



Power	18V
No. of batteries supplied	0
Charger included?	No
Chuck capacity (mm)	10
No load speed (rpm)	0-1100
Max. drilling wood (mm)	38
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.8
Article Number	5133001166
EAN Code	4892210118578

**Standard equipment (RAD1801M)**

Double ended bit

## **ONE+ R18IDBL-0** 18V Cordless Brushless Impact Driver

- Brushless impact driver ideal for fast tightening and removing of fasteners
- Ryobi's Brushless technology combines a friction-less Brushless motor, intelligent electronics and lithium+ battery technology to deliver up to 20% more runtime and 20% more power in a smaller tool
- Powerful impact mechanism delivers up to 5x the power of a Ryobi® drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- DeckDrive™ mode which is a specific speed profile that makes driving decking screws easier



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	270
No load speed (rpm)	0-3000
Impact rate (ipm)	0-3900
Tool reception	1/4" Hex
Weight with battery pack (kg)	1.5
Article Number	5133002662
EAN Code	4892210143457

### Standard equipment (R18IDBL-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

## **ONE+ R18QS-0** 18V Cordless Quiet Strike Impact Driver

- Quiet Strike impact driver ideal for fast tightening and removing of fasteners
- Innovative oil pulse mechanism delivers more power and speed than a drill but with half the noise of an impact driver
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck for fast and easy bit changes



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	45
No load speed (rpm)	0-3200
Impact rate (ipm)	0-2200
Tool reception	1/4" Hex
Weight with battery pack (kg)	1.8
Article Number	5133002642
EAN Code	4892210142443

### Standard equipment (R18QS-0)

1 x impact bit, 1 x 3/8 inch socket adaptor, Belt clip

## **ONE+ R18ID3-0** 18V Cordless 3-Speed Impact Driver

- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 4x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	220
No load speed (rpm)	0-3,200
Impact rate (ipm)	0-3,400
Tool reception	1/4" Hex
Weight with battery pack (kg)	1.7
Article Number	5133002613
EAN Code	4892210140708

### Standard equipment (R18ID3-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

## **ONE+ SYSTEM** 18V RID1801M 18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor delivers 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4") hex drive
- 3 LED lights light up your work area, so you can see what you are doing
- Robust die-cast front gear housing to protect the motor
- Variable speed, reverse and brake for total control of your tool



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	220
No load speed (rpm)	0-3200
Impact rate (ipm)	0-3400
Tool reception	1/4" Hex
Weight with battery pack (kg)	1.6
Article Number	5133001168
EAN Code	4892210118592

### Standard equipment (RID1801M)

1 x impact bit, 1 x 3/8 inch socket adaptor

## **ONE+ SYSTEM** 18V R18IDP-0 18V Cordless Impact Driver

- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 3x the power of a drill
- Quick load 1/4" (6.35mm) chuck



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	170
No load speed (rpm)	0-3,200
Impact rate (ipm)	0-3,200
Tool reception	1/4" Hex
Weight with battery pack (kg)	1.6
Article Number	5133002640
EAN Code	4892210142436

### Standard equipment (R18IDP-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

## **ONE+ SYSTEM** 18V CCG1801M 18V Cordless Caulking Gun

- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. output force	225
Weight with battery pack (kg)	2.1
Article Number	5133000060
EAN Code	4892210100962

### Standard equipment (CCG1801M)

None



## R18N16G-0 18V Cordless 16G Nailer

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks



Power	18V
No. of batteries supplied	0
Charger included?	No
Nail capacity	19-65mm
Magazine capacity nails	100
Nail type (mm)	1.6
Weight with battery pack (kg)	3.1
Article Number	5133002222
EAN Code	4892210128898

### Standard equipment (R18N16G-0)

500 x 50mm nails, 2 x no mar shoes, reversible belt hook

### Also Available as

	18V Cordless 16G Nailer (1 x 2.0ah)		
Name:	R18N16G-120S	Product Code:	5133003859



## R18N18G-0 18V Cordless 18G Nailer

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LEDs by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks



Power	18V
No. of batteries supplied	0
Charger included?	No
Nail capacity	15-50mm
Magazine capacity brads	105
Nail type (mm)	1.2
Weight with battery pack (kg)	2.9
Article Number	5133002093
EAN Code	4892210128058

### Standard equipment (R18N18G-0)

500 x 32mm nails, 2 x no mar shoes, reversible belt hook

### Also Available as

	18V Cordless 18G Nailer (1x2.0Ah)		
Name:	R18N18G-120S	Product Code:	5133003860



## R18S18G-0 18V Cordless 18G Stapler

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires narrow crown staples (5.5-6.1mm) from 10 to 38mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LED's by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of staples
- Dry-fire lockout prevents the tool working without staples loaded
- Tool less jam release for easy removal of clear staples
- Low staple indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks



Power	18V
No. of batteries supplied	0
Charger included?	No
Magazine capacity	100
Staple capacity	Narrow Crown (5.5-6.1mm) from 10 to 38mm long
Weight with battery pack (kg)	2.9
Article Number	5133002516
EAN Code	4892210138781

### Standard equipment (R18S18G-0)

500 x 38mm staples, 2 x no mar shoes, reverseable belt hook



# 18V Cordless Brushless Angle Grinder R18AG7-0

**Intelligent**

Intelligent electronics constantly regulate the motor to maximum runtime.

**Power**

Powerful Brushless 125mm grinder ideal for a variety of cutting and grinding applications.



**BRUSHLESS**  
INTELLIGENT PERFORMANCE

**UNLOCK  
NEW CORDLESS  
APPLICATIONS**



**R18AG-0**

**18V Cordless Angle Grinder**

- Cordless 115mm grinder ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Tool-less wheel guard and nut for easy accessory fitting
- Two stage non-lockable switch for enhanced user protection preventing accidental start up



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Disc diameter (mm)	<b>115</b>
No load speed (rpm)	<b>7500</b>
Bore size (mm)	<b>22</b>
Weight with battery pack (kg)	<b>2.9</b>
Article Number	<b>5133001903</b>
EAN Code	<b>4892210123657</b>

Also Available as

<b>x1</b>	18V Cordless Angle Grinder (1 x 4.0Ah)	
	Name: R18AG-140S	Product Code: 5133003876

**Standard equipment (R18AG-0)**

Auxiliary handle, wrench, wheel guard, 1 x grinding disc



**R18AG7-0**

**18V Cordless Brushless Angle Grinder**

- Powerful Brushless 125mm grinder ideal for a variety of cutting and grinding applications
- Brushless motor eliminates friction to provide the power to cut, grind or even work with masonry
- Intelligent electronics constantly regulate the motor to maximum runtime
- Electronic anti-kickback technology shuts the tool down when a jam is detected improving user safety
- 3 position handle for better control when grinding or cutting
- Tool-less wheel guard and nut for easy accessory fitting



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Disc diameter (mm)	<b>125</b>
No load speed (rpm)	<b>11000</b>
Bore size (mm)	<b>22</b>
Weight with battery pack (kg)	<b>2.6</b>
Article Number	<b>5133002852</b>
EAN Code	<b>4892210149404</b>

**Standard equipment (R18AG7-0)**

Auxiliary handle, wheel guard, 1 x grinding disc



## R18RS7-0

18V Cordless Brushless Reciprocating Saw

**NEW**

- Powerful brushless motor provides industry leading 30mm stroke length ideal for cutting wide range of materials with ease
- Orbital function boosts cutting speed by up to 40% compared to with no orbital
- LED work light illuminates the cut line and work area
- Tool-less blade clamp for quick and easy blade change
- Innovative AntiVibe mechanism minimizes vibrations and improves grip during application
- Variable speed trigger provides ultimate control when cutting different materials
- Safety switch lock to prevent accidental start ups



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	30
No load speed (rpm)	3200
Max. cutting capacity wood (mm)	210
Weight with battery pack (kg)	3.0
Article Number	5133003809
EAN Code	4892210158673

### Standard equipment (R18RS7-0)

1 X wood blade, 1 x Hex Key



## R18RS-0

18V Cordless Reciprocating Saw

- Ideal for rough and fast cutting for demolition tasks in materials such as wood, metal and plastic.
- Cuts faster than corded, compared to Ryobi corded saw ERS80VHG
- Anti-Vibe™ handle increases comfort and control while cutting
- Tool-less blade clamp for quick and easy blade changes
- The adjustable shoe makes it possible to use different sections of the blade prolonging the blade life



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	28
No load speed (rpm)	2900
Max. cutting capacity wood (mm)	200
Weight with battery pack (kg)	2.8
Article Number	5133002637
EAN Code	4892210141910

### Standard equipment (R18RS-0)

1 x wood blade, 1 x Hex Key



## RRS1801M

18V Cordless Reciprocating Saw

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 22mm stroke length
- Anti vibration technology
- Adjustable shoe increases blade life



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	22
No load speed (rpm)	3100
Max. cutting capacity wood (mm)	180
Weight with battery pack (kg)	2.3
Article Number	5133001162
EAN Code	4892210118691

### Standard equipment (RRS1801M)

1 x wood blade, 1 x Hex Key

## **ONE+ SYSTEM**™ R18CS7-0 18V Cordless Brushless Circular Saw

- Powerful Brushless circular saw ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work top, flooring or to make quick and accurate cross cuts in timber
- Brushless motor eliminates friction to provide the power to cut and saw into variety of wood materials
- Intelligent electronics constantly regulate the motor to maximum runtime
- Impressive cut capacities 60mm at 90°, 42mm at 45° allows you to complete applications usually reserved for corded saws
- Tool-less depth and bevel adjustments make it quick and easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connection to a vacuum
- Premium Thin Kerf 184mm blade with 24 carbide tipped teeth provides superb performance and cut quality



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	184
Max. cutting depth 45° (mm)	42
Max. cutting depth 90° (mm)	60
No load speed (rpm)	3700
Bore size (mm)	16
Bevel capacity (°)	50
Weight with battery pack (kg)	3.2
Article Number	5133002890
EAN Code	4892210150080

### Standard equipment (R18CS7-0)

1 x 24 TCT Blade, hex key, side fence

## **ONE+ SYSTEM**™ R18CS-0 18V Cordless Circular Saw

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 165mm blade with 24 carbide tipped teeth provides superb performance and cut quality



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	165
Max. cutting depth 45° (mm)	36
Max. cutting depth 90° (mm)	52
No load speed (rpm)	4,700
Bore size (mm)	16
Bevel capacity (°)	0-56
Weight with battery pack (kg)	2.8
Article Number	5133002338
EAN Code	4892210117304

### Standard equipment (R18CS-0)

1 x 24 TCT blade, hex key, side fence

## **ONE+ SYSTEM**™ RWSL1801M 18V Cordless Circular Saw

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	150
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
No load speed (rpm)	0-4,700
Bore size (mm)	10
Bevel capacity (°)	50
Weight with battery pack (kg)	3.3
Article Number	5133001164
EAN Code	4892210118554

### Standard equipment (RWSL1801M)

1 x 18 TCT blade, hex key, side fence

# 18V Brushless Jigsaw

R18JS7-0

## Powerful

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.

## Performance

4 stage pendulum action for enhanced cutting performance.

## Stability

Premium aluminium die cast base for greater stability and more durable.

**BRUSHLESS**  
INTELLIGENT PERFORMANCE



**STABLE**  
AND  
**ACCURATE** +  
**CUTTING**

### **ONE+ SYSTEM** R18JS7-0 18V Brushless Jigsaw

- Powerful brushless jigsaw with 25mm stroke length ideal for cutting wood, plastic and metal at a variety of angles
- Premium aluminium die cast base plate and plate cover for greater stability and more durable
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Lock on switch keeps tool switched on so reduces your fatigue
- LED light illuminates the cut line and work area
- Tool-less base adjustments to cut between 0 degree to 45 degree angles

**COMING SOON**



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	25
No load speed (rpm)	800 - 3500
Max. cutting capacity wood (mm)	135
Max. cutting capacity steel (mm)	10
Max. cutting capacity aluminium (mm)	20
Weight with battery pack (kg)	1.8
Article Number	5133004223
EAN Code	4892210170521

Standard equipment (R18JS7-0)

1 x wood blade, dust port

## ONE+ SYSTEM™ R18JS-0 18V Cordless Jigsaw

- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a variety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	25
No load stroke rate (spm)	1,100 - 3,000
Max. cutting capacity wood (mm)	101
Max. cutting capacity steel (mm)	6
Max. cutting capacity aluminium (mm)	10
Weight with battery pack (kg)	2.5
Article Number	5133002158
EAN Code	4892210128010

Also Available as

<b>x1</b>	18V Cordless Jigsaw (1x2.0Ah)
Name:	R18JS-120S
Product Code:	5133004232

<b>x1</b>	18V Cordless Jigsaw (1x2.0Ah)
Name:	R18JS-120S5
Product Code:	5133004304

Standard equipment (R18JS-0)

1 x wood blade

## ONE+ SYSTEM™ R18MS216-0 18V Cordless Sliding Mitre Saw

- Cordless sliding mitre saw cuts up to 70x270mm at 90°
- Pre selected mitre angles to 45° and bevel from 0 to 45°
- Premium thin kerf 216mm blade with 48 carbide tipped teeth provides superb performance and cut quality
- Premium cast aluminium table base provides a perfectly flat cutting surface
- On board laser for maximum visibility of cut line
- Make up to 315 cross cuts in 2 x 4 timber (50mm x 100mm) timber with the Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	216
Max. cutting capacity 0° mitre/ 45° bevel [mm]	48 x 270
Max. cutting capacity 45° mitre 0° bevel [mm]	70 x 185
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48 x 185
Weight with battery pack (kg)	14.8
Article Number	5133003597
EAN Code	4892210156952

Standard equipment (R18MS216-0)

1 x 48 TCT blade, 1x clamp, dust bag, wrench

## ONE+ SYSTEM™ EMS190DCL 18V Cordless Mitre Saw

- Cordless mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from 0-45°
- Thin Kerf 24T carbide tipped blade for improved performance and longer runtime
- Extremely compact and lightweight for great portability
- Make up to 189 cross cuts (22x100mm) combined with the Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	190
Max. cutting capacity 0° mitre/ 45° bevel [mm]	19 x 114
Max. cutting capacity 45° mitre 0° bevel [mm]	31 x 82
Max. cutting capacity 45° mitre/ 45° bevel (mm)	19 x 82
Weight with battery pack (kg)	7.4
Article Number	5133000932
EAN Code	4892210116895

Standard equipment (EMS190DCL)

1 x 24 TCT blade, 1 x clamp, dust bag, wrench

## **ONE+ SYSTEM** LTS180M 18V Cordless Tile Saw

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm 4" continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes
- GripZone™ overmould technology for improved grip and reduced vibration
- Wrench storage
- Diamond wheel included
- Water bottle included



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	5000
Wheel size (mm)	102
Arbor size (mm)	16
Max. cutting depth 45° (mm)	16
Max. cutting depth 90° (mm)	22
Weight with battery pack (kg)	2.6
Article Number	5133000154
EAN Code	4892210110688

### Standard equipment (LTS180M)

Hex key, water bottle

## **ONE+ SYSTEM** R18MT-0 18V Cordless Multi Tool

- A versatile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details
- Plunge cuts into any material quickly and easily or cut flush, right up to a surface without damaging it
- 5 position pivoting head makes it even easier to cut and sand in those hard to reach areas
- Tool-less blade clamp for quick and easy accessory changes
- 6 position variable speed wheel for ultimate control across a range of applications
- The universal accessory adaptor included makes this tool compatible with any brand of accessories



Power	18V
No. of batteries supplied	0
Charger included?	No
Oscillation angle (°)	3.2°
Oscillation rate (opm)	10000-20000
Weight with battery pack (kg)	1.4
Article Number	5133002466
EAN Code	4892210136534

### Standard equipment (R18MT-0)

Plunge cutting blade, flush cutting blade, sanding pad, 5 sanding sheets and a universal accessory adaptor



**ONE+ SYSTEM**™ R18MT3-0  
18V Cordless Multi Tool

**NEW**

- A versatile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details
- Plunge cuts into any material quickly and easily or cut flush, right up to a surface without damaging it
- Quick change attachments for hassle free transition between sanding and sawing
- Variable speed for ultimate control across a range of applications
- Universal accessory adaptor makes the product compatible with any brand of accessories
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Oscillation angle (°)	3°
Oscillation rate (opm)	10000-20000
Weight with battery pack (kg)	1.22
Article Number	5133003797
EAN Code	4892210161413

**Standard equipment (R18MT3-0)**

Plunge cutting blade, flush cutting blade, sanding pad, 5 sanding sheets, hex key and a universal accessory adaptor



**ONE+ SYSTEM**™ R18PL-0  
18V Cordless Planer

- Cordless planer delivers fast stock removal, ideal for trimming doors and other surfaces leaving a smooth finish
- Adjustable depth of cut from 0-1.6mm and 82mm planing width
- Additional front handle for greater control
- Durable steel planing base with integrated chamfering groove
- Rear mounted kickstand protects work piece
- Dual left and right chip exhaust
- Side fence for precision planing



Power	18V
No. of batteries supplied	0
Charger included?	No
Planing depth (mm)	1.6
Planing width (mm)	82
Rebate depth (mm)	12.5
No load speed (rpm)	11000
Weight with battery pack (kg)	2.8
Article Number	5133002921
EAN Code	4892210151520

**Standard equipment (R18PL-0)**

Side fence, dust bag, dust port adaptor, 2x reversible blades

# 18V Cordless Trim Router

R18TR-0

## The finishing touch

Cordless trim router ideal for adding edge profiles to enhance any woodworking project.

## Precise and Accurate

Micro depth adjustment for precise and accurate cutting.



### **ONE+ SYSTEM** R18TR-0 18V Cordless Trim Router

- Cordless trim router ideal for adding edge profiles to enhance any woodworking project
- Micro depth adjustment for precise and accurate cutting
- Aluminum base offers stability and accuracy
- LED lights up your work area for better visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	38
Collet capacity (mm)	6mm & 6.35mm
No load speed (rpm)	29000
Weight with battery pack (kg)	1.7
Article Number	5133002917
EAN Code	4892210151483

#### Standard equipment (R18TR-0)

6mm collet, 6.35mm collet, 6.35mm straight cutter, parallel guide



## **ONE+ SYSTEM** 18V R18BS-0 18V Cordless Belt Sander

- Powerful and fast 76 x 457mm belt sander ideal for heavy duty applications over large areas
- Remove up to 700g of material per hour
- 3 position front handle gives the added control and versatility for this sander to reach into tight spaces that normal belt sanders cannot
- Dust Bag for efficient collection of dust keeping the work area clean and tidy
- Tool-free belt tracking maximises user control and convenience
- Tool-free lever for fast and convenient sanding belt fitting



Power	18V
No. of batteries supplied	0
Charger included?	No
Belt length (mm)	457
Belt width (mm)	76
Belt speed (m/min)	250
Weight with battery pack (kg)	3
Article Number	5133002916
EAN Code	4892210149992

**Standard equipment (R18BS-0)**  
3x sanding belts, dust bag and dust port adapter

## **ONE+ SYSTEM** 18V R18ROS-0 18V Cordless Random Orbital Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 2.5mm orbital sanding motion for fast and efficient stock removal
- Random orbital action delivers a swirl free finish
- Built in dust extraction system ensures a clean work environment
- Quick fit hook and loop sanding sheet attachment



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	20000
Diameter of orbit (mm)	2.5
Sanding pad size (mm)	125
Weight with battery pack (kg)	1.6
Article Number	5133002471
EAN Code	4892210136855

**Standard equipment (R18ROS-0)**  
3x sanding sheets (80, 120 and 240 grit) and dust bag

## **ONE+ SYSTEM** 18V R18SS4-0 18V Cordless Quarter Sheet Sander

- Ideal for light to medium work applications such as fine finishing and paint removal
- Remove up to 150g of material per hour
- 1.6mm orbital sanding motion for fast and efficient stock removal
- Dust bag for efficient collection of dust keeping the work area clean and tidy
- Uses 113x106mm hook and loop sanding pads enabling quick and easy sanding pad fitting



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	24000
Diameter of orbit (mm)	1.6
Sanding pad size (mm)	113x106
Weight with battery pack (kg)	1.6
Article Number	5133002918
EAN Code	4892210151384

**Standard equipment (R18SS4-0)**  
3x sanding sheets (80, 120 and 240 grit) and dust bag

## **ONE+ SYSTEM** R18PS-0 18V Cordless Palm Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight spaces
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	22000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140
Weight with battery pack (kg)	1.1
Article Number	5133002443
EAN Code	4892210133700

### Standard equipment (R18PS-0)

6x sanding sheets (2x60, 2x120 and 2x240 grit)

## **ONE+ SYSTEM** R18PF-0 18V Cordless File Sander

**NEW**

- Slimline 13 x 457mm file sander ideal for flexible sanding in tight spaces
- Up to 660 m/min with variable speed control, ideal for sanding and shaping in a variety of materials
- Tool-free belt tracking maximises user control and convenience
- Tool-free lever for fast and convenient sanding belt fitting
- Lock on switch allows for greater control and manoeuvrability



Power	18V
No. of batteries supplied	0
Charger included?	No
Belt length (mm)	457
Belt width (mm)	13
Belt speed (m/min)	660
Weight with battery pack (kg)	1.5
Article Number	5133004179
EAN Code	4892210169693

### Standard equipment (R18PF-0)

3 sanding belts

## 18V Cordless File Sander R18PF-0

### Slimline & Flexible

Slimline 13 x 457mm file sander ideal for flexible sanding in tight spaces.

### Speed & Control

Up to 600 m/min with variable speed control, ideal for sanding and shaping.

**VERSATILE  
SANDING  
AND  
FILING**

## **ONE+ SYSTEM**™ R18I-0 18V Cordless Inflator

- Dual function inflator/deflator provides high pressure inflation for tyres and high volume for inflatables
- Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation
- Connect the hose to a separate port for deflation mode - ideal for packing down air beds or other inflatables
- Convenient switch for high and low pressure selection
- All of the hoses, nozzles and adaptors needed are stored on-board for your convenience



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
High Pressure Hose [mm]	<b>711</b>
High Volume Hose [mm]	<b>756</b>
Max. pressure (bar)	<b>10.3</b>
Weight with battery pack (kg)	<b>1.7</b>
Article Number	<b>5133001834</b>
EAN Code	<b>4892210122780</b>

### Standard equipment (R18I-0)

High pressure hose, high volume hose, sports ball needle, presta valve and high pressure tapered nozzle

## **ONE+ SYSTEM**™ R18PI-0 18V Cordless High Pressure Inflator

- Ideal for inflating car tyres, bike tyres or sports balls, it will inflate a car tyre to 32PSI in just 2 minutes
- Rapid inflation up to 10.3 Bar/150 PSI at 16l/min
- Easy to view pressure gauge for quick reading and fine control
- Includes thumb lock tyre valve, sports ball needle, presta valve and high pressure tapered nozzle with convenient on-board storage
- 50cm hose allows for flexible reach



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
High Pressure Hose [mm]	<b>508</b>
Max. pressure (bar)	<b>10.3</b>
Air flow (l/min)	<b>16</b>
Weight with battery pack (kg)	<b>1.1</b>
Article Number	<b>5133003931</b>
EAN Code	<b>4892210164674</b>

### Standard equipment (R18PI-0)

Sports ball needle, presta valve and high pressure tapered nozzle

## **ONE+ SYSTEM**™ R18VI-0 18V Cordless High Volume Inflator

- Ideal for inflating paddling pools, air mattresses and large inflatables, it will inflate a queen sized air mattress in just 2 minutes
- Rapid inflation at 210l/min and up to 0.034 Bar/0.5 PSI
- Can be used as a workshop blower, quickly clearing your workplace mid-project
- Includes pinch valve with convenient on-board storage
- Simply reverse the nozzle attachment to use as a deflator



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Max. pressure (bar)	<b>0.034</b>
Air flow (l/min)	<b>210</b>
Weight with battery pack (kg)	<b>0.7</b>
Article Number	<b>5133003880</b>
EAN Code	<b>4892210162441</b>

### Standard equipment (R18VI-0)

Nozzle, pinch valve

# Time to tidy up with



## THE NEXT LEVEL IN CLEANING

18V Cordless  
Hand Vac

R18HV-0

Article number:  
5133003834



18V Cordless  
Hand Vac with  
Floorcare Kit

R18HVF-0

Article number:  
5133003835



18V Debris Sweeper  
R18SW3-0

Article number:  
5133004365



18V Project Vac  
R18PV-0

Article number:  
5133003786



18V Cordless  
Compact Blower

R18TB-0

Article number:  
5133002915



## **ONE+ SYSTEM** R18HV-0 18V Cordless Hand Vac

**NEW**

- Up to 1300l/min of air flow providing powerful suction to clean your home, car or workshop
- Easy to empty 540ml dust bowl for quick and clean waste disposal
- Includes a crevice tool with extendable bristle head for cleaning in hard to reach places
- Lock-on switch for easy vacuuming without fatigue and better manoeuvrability



Power	18V
No. of batteries supplied	0
Charger included?	No
Air Watts	20
Air flow (l/min)	1300
Container capacity (ml)	540
Weight (without battery) (Kg)	1
Article Number	5133003834
EAN Code	4892210162199

Standard equipment (R18HV-0)

Crevice tool

## **ONE+ SYSTEM** R18HVF-0 18V Cordless Hand Vac with Floorcare Kit

**NEW**

- Up to 1300l/min of air flow providing powerful suction to clean your home, car or workshop
- Easy to empty 540ml dust bowl for quick and clean waste disposal
- Includes a full floorcare kit for improved reach and vacuuming hard floors
- Lock-on switch for easy vacuuming without fatigue and better manoeuvrability



Power	18V
No. of batteries supplied	0
Charger included?	No
Air Watts	20
Air flow (l/min)	1300
Container capacity (ml)	540
Weight with battery pack (kg)	1.4
EAN Code	4892210162205
Article Number	5133003835

Standard equipment (R18HVF-0)

Crevice tool, floorcare kit

## **ONE+ SYSTEM** R18TB-0 18V Cordless Compact Blower

- Ideal for cleaning up work shop dust and dirt including sawdust, wood and metal chippings
- Compact and powerful blower with air speed up to 200 km/h
- 3 Speed control: low speed optimised for workshop applications, mid speed gives added control while high speed provides maximum power
- Variable speed trigger for pick up and go control
- High quality rubber hose allows for removal of wet debris from surfaces



Power	18V
No. of batteries supplied	0
Charger included?	No
Air Flow Speed 1 (km/h)	115
Air Flow Speed 2 (km/h)	150
Air Flow Speed 3 (km/h)	200
Air volume 1 (m³/min)	1.8
Air volume 2 (m³/min)	2.2
Air Volume 3 (m³/min)	2.9
Weight with battery pack (kg)	1.6
Article Number	5133002915
EAN Code	4892210149985

Standard equipment (R18TB-0)

None



## R18PV-0

18V Cordless Project Vac

**NEW**

- Up to 1400l/min of air flow providing powerful suction for workshop debris
- Universal adaptor included for dust extraction on ONE+ tools
- Can be used as a workshop blower, quickly clearing your workspace mid-project
- On board storage for funnel and crevice tool accessories
- Lightweight and compact for easy portability and storage



Power	18V
No. of batteries supplied	0
Charger included?	No
Air Watts	95
Air flow (l/min)	1400
Pressure [kPA]	11.8
Container capacity (ml)	11000
Weight with battery pack (kg)	4.5
Article Number	5133003786
EAN Code	4892210163332

**Standard equipment (R18PV-0)**

Funnel, dust port adaptor, crevice tool



## R18SW3-0

18V Cordless Debris Sweeper

**NEW**

- Powered sweeper for cleaning up your workshop, garage or paths with ease
- Two side brushes and the 53cm width provides a wide collection area for minimal passes and ensures deep cleaning even up against edges
- 17 litre container allows you to clear your workspace with minimal stoppages
- Foot actuated on-off switch for quick start and reduced contact with potentially dirty parts
- Height adjustable handlebar and padded grip for comfort and easy control
- Vertical standing feet with stowed handlebar provides space saving storage for your workshop or garage
- Rear wheel height adjustment for use on various surface types
- LED headlights light up your path for clear visibility



Power	18V
No. of batteries supplied	0
Charger included?	No
Cleaning Width [cm]	53
Container Capacity [l]	17
No load speed (rpm)	155
Weight with battery pack (kg)	8.2
Article Number	5133004365
EAN Code	4892210170972

**Standard equipment (R18SW3-0)**

None



## R18TP-0

18V Cordless Water Transfer Pump

**NEW**

- Cordless water pump ideal for numerous water transfer applications, such as removing water from flooded areas, blocked bathtub or water basins
- Fast flow rate of 1500 litres per hour, able to empty a full bathtub in just under 3 minutes
- Powerful motor can pump water up to 14 metres high
- Intelligent electronics protect the pump from jam and running dry to enhance durability
- Transfer up to 1000L of water with the Lithium+ 5Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. suction lift [m]	2.5
Max. water lift [m]	14
Flow rate (l/h)	1500
Max. water temperature [°C]	35
IPX rating	4
Weight with battery pack (kg)	1.8
Article Number	5133003934
EAN Code	4892210163004

**Standard equipment (R18TP-0)**

1 x inlet hose, 1 x tap adaptor, 1 x suction filter attachment

## **ONE+ SYSTEM**™ R18IW7-0 18V Cordless Brushless Impact Wrench

**NEW**

- Compact and intelligent brushless impact wrench delivers 270Nm of torque, ideal for automotive applications
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- 4 torque settings including AutoStop, a setting optimised for tightening and loosening wheel nuts on cars
- Tri-Beam LED lights illuminate the work area and eliminate shadows on bits and fasteners
- 1/2" Square drive with locking pin for easy socket fitment



Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-3900
Max. torque (Nm)	270
No load speed (rpm)	0-3000
Weight with battery pack (kg)	1.3
Article Number	5133004220
EAN Code	4892210164568

Standard equipment (R18IW7-0)  
1/4" hex adaptor

## **ONE+ SYSTEM**™ R18IW3-0 18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/removing of heavy duty fasteners
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- 3 speed settings provide added control and versatility
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas
- 1/2" Square drive with locking pin for easy socket fitment



Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0)  
1/4" hex adaptor

Also Available as

<b>x1</b>	18V Cordless 3-Speed Impact Wrench	
	Name: R18IW3-120S	Product Code: 5133003574

## **ONE+ SYSTEM**™ R18B-0 18V Cordless Buffer

- Ideal for applying polish and wax to maintain your car's paint finish
- Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2500opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces



Power	18V
No. of batteries supplied	0
Charger included?	No
Diameter of orbit (mm)	12.5
Oscillation rate (opm)	2500
Size (mm)	254
Weight with battery pack (kg)	2.4
Article Number	5133002465
EAN Code	4892210135483

Standard equipment (R18B-0)  
1x elastic polishing bonnet, 1x elastic buffing bonnet



## R18RT-0

### 18V Cordless Rotary Tool

- Powerful cordless rotary tool for cutting, sanding, grinding, engraving and many more applications
- Slimline pencil design and variable speed control up to 34000rpm provides fine control and use on a variety of materials
- 90cm cable for flexible working in situ
- Includes 33 accessories with on-board storage slots
- Universal accessory collet can be used with any brand of accessory



Power	18V
No. of batteries supplied	0
Charger included?	No
Collet capacity (mm)	3.2
Cable length [cm]	90
No load speed (rpm)	5000 - 34000
Weight with battery pack (kg)	1.2
Article Number	5133004366
EAN Code	4892210172273

#### Standard equipment (R18RT-0)

Storage box containing 33 accessories:  
1x wrench, 3x grinding wheels, 1x cutting mandrel, 4x cutting discs, 1x polishing mandrel, 4x polishing wheels, 1x polishing compound, 2x sanding drums, 12x sanding rings, 1x 3.2mm drill bit, 1x carbon fibre brush, 1x engraving bit, 1x high speed cutter

# 18V Cordless Rotary Tool

R18RT-0

## Powerful

Powerful cordless rotary tool for cutting, sanding, grinding, engraving and many more applications.

## Precision

Slimline pencil design and variable speed provides fine control and use on a variety of materials.



**PRECISION  
CONTROL**



**ONE+ SYSTEM**™ **R18SOI-0**  
18V Cordless Soldering Iron

- Cordless soldering iron, ideal for automotive and craft applications
- Cordless and small in size; perfect for working in situ
- Takes just 1 minute to heat up to 480°C
- Pencil design for user comfort and fine control
- LED control to indicate heating up and cooling down periods



Power	18V
No. of batteries supplied	0
Temperature range (°C)	480°
Weight with battery pack (kg)	0.4
Article Number	5133004382
EAN Code	4892210173324

**Standard equipment (R18SOI-0)**  
Soldering tip, chisel tip, solder reel

**ONE+ SYSTEM**™ **R18GLU-0**  
18V Cordless Glue Gun

- Cordless glue gun, ideal for use on a wide selection of materials such as paper, cardboard, textiles, leather, plastic, wood, metal, cork or stone
- Two-finger trigger for enhanced control
- 3 minute warm up means you're ready to glue in next to no time
- Compatible with any brand of 11mm diameter all-purpose and high strength adhesives



Power	18V
No. of batteries supplied	0
Charger included?	No
Nozzle Hole (mm)	3
Glue Stick Diameter (mm)	11
Weight with battery pack (kg)	0.7
Article Number	5133002868
EAN Code	4892210149428

**Standard equipment (R18GLU-0)**  
3 glue sticks

**ONE+ SYSTEM**™ **P620**  
18V Cordless Speed Sprayer

- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
- Suitable for use with any brand paint
- Highly versatile spray system that can be used with varnishes, wood preservatives, enamels, as well as oil-based and water-based paints
- Innovative and patented delivery system also minimizes the need for dilution
- Cordless convenience means paint projects have no limits. Spray up to 4m<sup>2</sup> per minute
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Container capacity (ml)	1000
Paint coverage sprayer (m <sup>2</sup> /min)	10
Flow rate (l/h)	20
Weight with battery pack (kg)	2.4
Article Number	5133000155
EAN Code	4892210110589

**Standard equipment (P620)**  
vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit



# one click

## ONE BATTERY 100+ TOOLS

To find out more about our full category ranges visit:  
[ryobitool.eu](http://ryobitool.eu) and  
[youtube.com/RyobiTV](https://youtube.com/RyobiTV)



### **ONE+ SYSTEM** R18RH-0 18V Cordless Stereo with Bluetooth®

- Stereo sound from two premium 7W speakers for clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 2 Amp USB Charger port charges many portable electronic devices including smartphones
- Built in equaliser which allows adjustment of bass and treble
- Integrated auxiliary input with storage location for smartphone use
- Low battery indicator advises when 18V ONE+™ battery will need to be recharged



Power	18V
No. of batteries supplied	0
Charger included?	No
Weight with battery pack (kg)	2.3
Article Number	5133002734
EAN Code	4892210145390

**Standard equipment (R18RH-0)**  
(2) AAA Alkaline Batteries

**ONE+ SYSTEM™ R18USB-0**  
18V Cordless USB Adapter

**NEW**

- Charge your USB devices anywhere with our portable USB adaptor, ideal for on the go or camping
- Adaptor detects the charge rate of your devices to minimise charge time
- The 2.1A and 1A ports provide flexible and fast charging



Power	18V
No. of batteries supplied	0
Charger included?	No
Output Voltage [V]	5
Charge rate (Amps per hour)	2.1A / 1.0A
Weight with battery pack (kg)	0.4
Article Number	5133004381
EAN Code	4892210154576

Standard equipment (R18USB-0)

None

**ONE+ SYSTEM™ R18R-0**  
18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 1 Amp USB Charger port charges many portable electronic devices including smartphones
- Integrated auxiliary input with storage location for smartphone use
- Compact size is durable and easily portable for use at home
- Low battery indicator advises when 18V ONE+™ battery will need to be recharged



Power	18V
No. of batteries supplied	0
Charger included?	No
Speaker diameter (mm)	90
Speaker output (W)	3
Weight with battery pack (kg)	1.1
Article Number	5133002455
EAN Code	4892210135476

Standard equipment (R18R-0)

(2) AAA Alkaline Batteries

**ONE+ SYSTEM™ R18F-0**  
18V Cordless Fan

- Cordless fan ideal for indoor or outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility
- 2100rpm for max air flow or 1400rpm for increased runtime and quieter operation



Power	18V
No. of batteries supplied	0
Charger included?	No
Fan speed (rpm)	2100/1400
Weight with battery pack (kg)	1.6
Article Number	5133002612
EAN Code	4892210140678

Standard equipment (R18F-0)

None

## **ONE+ SYSTEM** R18ALH-0 18V Cordless Hybrid Area Light

- Switch between cordless and corded power with the innovative Hybrid technology. Works with any Lithium+ battery or electric power with an extension cord
- 20W lifetime LED emits up to 1,800 Lumens
- 360° rotation of the lens and multiple hanging options add versatility
- Compact design with integrated handle for easy transportation and storage
- Up to 240 minutes run time as a cordless light with RB18L40 or plug in an extension for AC power



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	1800
Weight with battery pack (kg)	1.9
Article Number	5133002339
EAN Code	4892210117311

Standard equipment (R18ALH-0)  
None

Also Available as

	18V Cordless LED Area Light
Name:	R18ALW-0
Product Code:	5133002919

## **ONE+ SYSTEM** R18ALF-0 18V Cordless Folding Area Light

- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier
- CRI (Color Rendering Index) rating of 80, meaning its 80% as good as natural daylight which is ideal for all your various DIY and decorating projects
- Extensive runtime up to 360 minutes with RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	850
Weight with battery pack (kg)	1.3
Article Number	5133002304
EAN Code	4892210130525

Standard equipment (R18ALF-0)  
None

## **ONE+ SYSTEM** R18ALU-0 18V Cordless LED Area light

- Ideal for short to mid distance 0-3M thanks to a frosted lens which decreases glare
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- USB charging port helps you to charge your phone on the go
- 2 brightness settings for added control



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	330
Weight with battery pack (kg)	0.9
Article Number	5133003371
EAN Code	4892210152565

Standard equipment (R18ALU-0)  
None

## **ONE+ SYSTEM**™ RFL180M 18V Cordless Flash Light

- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Bulb type	<b>Halogen</b>
Weight with battery pack (kg)	<b>0.7</b>
Article Number	<b>5133001636</b>
EAN Code	<b>4892210120182</b>

**Standard equipment (RFL180M)**  
None

## **ONE+ SYSTEM**™ R18SPL-0 18V Cordless LED Hi-Beam Spotlight

- Ideal for mid to long distance with a recommended throw of up to 600 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Can be used with Ryobi ONE+ 18V batteries or 12V car adaptor (included)
- 2 brightness settings for added control and a lock on switch so the light can be used continuously without having to hold the trigger.
- For best runtime use a 5.0Ah Lithium+ battery which provides up to 2 hours of light



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Bulb type	<b>LED</b>
Lumens	<b>2300</b>
Weight with battery pack (kg)	<b>1</b>
Article Number	<b>5133003372</b>
EAN Code	<b>4892210152572</b>

**Standard equipment (R18SPL-0)**  
12V Car adaptor

## **ONE+ SYSTEM**™ R18T-0 18V Cordless LED Torch

- Ideal for short to mid distance with a recommended throw of up to 20 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Rotating head helps direct light where needed when using as a work light
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- For best runtime use a 5.0Ah Lithium+ battery which provides up to 36 hours of light



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Bulb type	<b>LED</b>
Lumens	<b>140</b>
Weight with battery pack (kg)	<b>0.7</b>
Article Number	<b>5133003373</b>
EAN Code	<b>4892210152589</b>

**Standard equipment (R18T-0)**  
None

**Hybrid**


**18v ONE+ SYSTEM**

# Never run out of power.

Switch seamlessly between cordless or electric power.



**cordless**



**corded**



Look out for the Hybrid logo on our tools

**Hybrid**



**36V Hybrid Lawn Mower**

Article number:  
5133003704

**18V Hybrid Grass Trimmer**

Article number:  
5133003710

**18V Hybrid Blower**

Article number:  
5133002340

**18V Hybrid Hedge Trimmer**

Article number:  
5133003657

**18V Hybrid Area Light**

Article number:  
5133002339



**RLM18C36H225F**

**Cordless Hybrid Lawn Mower, 36cm Deck (2x2.5Ah)**

- The performance of 36V with Ryobi Lithium Fusion™ technology, powered by dual 18V ONE+ Lithium+ batteries or electric power with a cable
- 36cm cutting path designed to easily maneuver around your garden
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Folding handles and collapsible grass catcher for compact and easy storage
- Up to 5 different adjustable heights for improved comfort
- Vertabrae™ handle design with multiple grip positions and adjustable height for improved comfort



Power	18 V
No. of batteries supplied	2
Battery pack capacity (Ah)	2.5
Charger included?	Yes
Charging time (min)	75
Decksize (cm)	36
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	16.1
Article Number	5133003704
EAN Code	4892210160010

Also Available as

<b>x2</b>	Cordless Hybrid Lawn Mower, 36cm Deck (2x5.0Ah)
Name:	Product Code:
RLM18X36H250F	5133003705

Standard equipment (RLM18C36H225F)

Mulching plug, 45L grass catcher



**RLT1831H20F**

**18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.0Ah)**

- Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all grass trimming needs
- Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes
- Telescoping boom and adjustable pommel handle provide comfort for any user height
- Three-position pivoting string head for more versatile trimming



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.0
Charger included?	Yes
Cutting path width (cm)	25/30
Cutting line diameter (mm)	1.6
Line feed system	Auto-feed
Weight with battery pack (kg)	3.2
Article Number	5133003710
EAN Code	4892210160072

Also Available as

<b>x1</b>	18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.5Ah)
Name:	Product Code:
RLT1831H25F	5133003711

<b>x1</b>	18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.5Ah), Includes Flailing Blade
Name:	Product Code:
RLT1831H25PKF	5133003712

Standard equipment (RLT1831H20F)

Auto-feed spool



**OHT1850H**

**18V Hybrid Hedge Trimmer, 50cm Blade**

- Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all hedge trimming needs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Lightweight and ergonomic, with rear handle overmoulded, for comfortable cutting over extended periods
- Compatible with HedgeSweep™ attachment for easy removal of clippings



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	22
Blade length (cm)	50
Blade type	Diamond ground
Weight (without battery) (Kg)	3.1
Article Number	5133003657
EAN Code	4892210157881

Also Available as

<b>x1</b>	18V Hybrid Hedge Trimmer, 50cm Blade (1x2.5Ah)
Name:	Product Code:
RHT1850H25HS	5133003660

<b>x1</b>	18V Hybrid Hedge Trimmer, 50cm Blade (1x2.0Ah)
Name:	Product Code:
RHT1850H20	5133003658

Standard equipment (OHT1850H)

Blade sheath

**ONE+™** OBL1820H  
18V Hybrid Blower

- Innovative 18V Hybrid motor offers the choice to seamlessly switch between cordless and corded power
- Lightweight design with overmould for comfort during extended use
- High speed nozzle provides airflow speed of 250 km/h



Power	18 V
No. of batteries supplied	0
Charger included?	No
Air volume (m³/min)	2.8
Airflow speed (km/h)	250
Weight with battery pack (kg)	2.1
Article Number	5133002340
EAN Code	4892210822673

Standard equipment (OBL1820H)  
High speed nozzle

**ONE+™** OLM1833B  
18V Cordless Mower, 33cm deck

**NEW**

- 33cm cutting path designed for easy manoeuvrability around the garden
- 5-position, single point cutting height adjustment from 25-65mm
- Ergonomic handle design, with 3 height positions to accommodate all users
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- Includes Mulching plug, 35L grass catcher bag



Power	18V
No. of batteries supplied	0
Charger included?	No
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	8.1
Article Number	5133004305
EAN Code	4892210171948

Standard equipment (OLM1833B)  
Mulch Plug, 35L Grass Catcher

Also Available as

<b>x1</b>	18V Cordless Mower, 33cm deck (1x4.0Ah)	
	Name: RLM18X33B40	Product Code: 5133004306

**ONE+™** OLM1841H  
Cordless Lawn Mower, 40cm Deck, Powered by ONE+

- The performance of 36V with Ryobi Lithium Fusion™ technology, powered by dual 18V ONE+ Lithium+ batteries
- 40cm cutting path with metal blade for excellent cutting and mulching
- 5-position, single-point height adjustment from 20mm-70mm
- Mow up to the edge or around flower beds with EasyEdge™ grass comb
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy storage
- 50L grass catcher capacity



Power	18 V
No. of batteries supplied	0
Charger included?	No
Decksize (cm)	40
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	18.9
Article Number	5133002805
EAN Code	4892210147592

Standard equipment (OLM1841H)  
Mulching plug, 50L grass catcher

Also Available as

<b>x2</b>	Cordless Lawn Mower, 40cm Deck, Powered by ONE+ (2x4.0Ah)	
	Name: RLM18X41H240F	Product Code: 5133003706



**ONE+ 18V**™ **OLT1825M**  
**18V Cordless Grass Trimmer, 25cm Cutting Width**

- 25cm cutting path for efficient grass and weed cutting
- EasyEdge™ design for quick transition between edging and trimming mode
- Two handle design for improved user comfort
- Powered by an 18V Lithium+ battery with patented IntelliCell™ which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the 18V ONE+™ system, the battery is compatible with over 50 tools for the home and garden



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Cutting path width (cm)	<b>25</b>
Cutting line diameter (mm)	<b>1.6</b>
Line feed system	<b>Auto-feed</b>
Weight with battery pack (kg)	<b>1.7</b>
Article Number	<b>5133002822</b>
EAN Code	<b>4892210147776</b>

**Standard equipment (OLT1825M)**  
 Auto-feed spool

Also Available as

	18V Cordless Grass Trimmer, 25cm Cutting Width (1x1.3Ah)	
	Name: RLT1825M13S	Product Code: 5133003723

	18V Cordless Grass Trimmer, 25cm Cutting Width (1x2.0Ah)	
	Name: RLT1825M20S	Product Code: 5133003731

**ONE+ 18V**™ **OLT1832**  
**18V Cordless Grass Trimmer, 25/30cm Cutting Width**

- Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes
- Telescoping boom and adjustable handle provide comfort for any user height
- Three-position pivoting string head for more versatile trimming



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Cutting path width (cm)	<b>25/30</b>
Cutting line diameter (mm)	<b>1.6</b>
Line feed system	<b>Auto-feed</b>
Weight with battery pack (kg)	<b>2.7</b>
Article Number	<b>5133002813</b>
EAN Code	<b>4892210147684</b>

**Standard equipment (OLT1832)**  
 Auto-feed spool

Also Available as

	18V Cordless Grass Trimmer, 25/30cm Cutting Width (1x2.5Ah)	
	Name: RLT183225F	Product Code: 5133003709

**ONE+ 18V**™ **OBC1820B**  
**18V Cordless Brush Cutter with Bike Handle**

- High-performance 18V motor provides optimum power for cutting tough grass and long weeds
- 2-in-1 brush cutter and trimmer with both blade and trimmer head for versatility
- 20cm hardened steel TriArc™ cutting blade for tough jobs
- Large 30cm line trimmer cutting path to complete tasks quickly
- Soft-grip bike handle design with variable speed control for optimum control



Power	<b>18V</b>
No. of batteries supplied	<b>0</b>
Charger included?	<b>No</b>
Cutting path with Brushcutter (cm)	<b>20</b>
Cutting path with Grass Trimmer (cm)	<b>30</b>
Line diameter (mm)	<b>1.6</b>
Weight with battery pack (kg)	<b>5.1</b>
Article Number	<b>5133002619</b>
EAN Code	<b>4892210141033</b>

**Standard equipment (OBC1820B)**  
 Tri-Arc™ blade, bump feed spool, Vertebrae™ comfort harness

Also Available as

	18V Cordless Brush Cutter with Bike Handle (1x4.0Ah)	
	Name: RBC18X20B4F	Product Code: 5133003713



### OLT1833

18V Cordless Brushless Grass Trimmer, 28/33cm Cutting Width

- 18V premium Brushless motor delivers superior cutting performance to quickly complete even the toughest trimming jobs
- Adjustable cutting width of 28 or 33cm for great versatility when grass and weed cutting
- Two speed settings with variable speed trigger provides optimum control between power and runtime
- Soft-grip ergo handle and lightweight construction for comfort over extended use



Also Available as

	18V Cordless Brushless Grass Trimmer, 28/33cm Cutting Width (1x5.0Ah)	
	Name: RLT18X3350	Product Code: 5133003652

## BRUSHLESS™

Power	18V
No. of batteries supplied	0
Charger included?	No
Cutting path width (cm)	28/33
Cutting line diameter (mm)	2.0
Line feed system	Bump head
Weight with battery pack (kg)	3.7
Article Number	5133003651
EAN Code	4892210159755

Standard equipment (OLT1833)

Bump feed spool



### OGS1822

18V Cordless Grass Shear and Shrubber

- 2-in-1 shear and shrubber for versatility around the garden
- Compact, slim, and lightweight design for user comfort
- Quick and easy tool-less blade change between shear and shrubber
- Durable hardened steel blades



Power	18V
No. of batteries supplied	0
Charger included?	No
Shear blade (mm)	120
Shrubber blade (mm)	200
Weight with battery pack (kg)	1.3
Article Number	5133002830
EAN Code	4892210147837

Standard equipment (OGS1822)

Grass shear blade, shrubbing blade



## **ONE+ SYSTEM**™ OLP1832BX 18V Cordless Handheld Lopper

- Cordless lopper for effortless pruning, even in hard-to-reach areas
- 18V motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 250Nm of torque for quickly completing any pruning job
- Soft-grip handles for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade type	Bypass
Cutting capacity (mm)	32
Cutting Angle	Fixed
Length (m)	0.85
Weight with battery pack (kg)	2.4
Article Number	5133004392
EAN Code	4892210174529

Standard equipment (OLP1832BX)

## **ONE+ SYSTEM**™ OHT1845 18V Cordless Hedge Trimmer, 45cm Blade

- Lightweight and ultra-compact hedge trimmer, perfect for sculpting hedges and maintaining shrubbery
- 45cm diamond-ground blade with a 18mm cut capacity
- High-quality diamond-ground blades for precision cutting
- Overmould for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	18
Blade length (cm)	45
Blade type	Diamond ground
Weight with battery pack (kg)	2.9
Article Number	5133003654
EAN Code	4892210157867

Standard equipment (OHT1845)

Blade sheath

Also Available as

<b>x1</b>	18V Cordless Hedge Trimmer, 45cm Blade (1x2.0Ah)	
	Name: RHT184520	Product Code:

## **ONE+ SYSTEM**™ OHT1851R 18V Cordless Hedge Trimmer, 50cm Blade

- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 50cm diamond-ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidental blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	22
Blade length (cm)	50
Blade speed (rpm)	1350
Blade type	Diamond ground
Weight with battery pack (kg)	3.1
Article Number	5133002682
EAN Code	4892210144638

Standard equipment (OHT1851R)

HedgeSweep™ attachment, blade sheath

Also Available as

<b>x1</b>	18V Cordless Hedge Trimmer, 50cm Blade (1x2.0Ah)	
	Name: RHT1851R20F	Product Code: 5133003714

<b>x1</b>	18V Cordless Hedge Trimmer, 50cm Blade (1x 2.5Ah)	
	Name: RHT1851R25F	Product Code: 5133003716

## **ONE+ SYSTEM** OHT1855R 18V Cordless Hedge Trimmer, 55cm Blade

- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidental blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	22
Blade length (cm)	55
Blade type	Diamond ground
Weight with battery pack (kg)	3.2
Article Number	5133002161
EAN Code	4892210821249

### Standard equipment (OHT1855R)

HedgeSweep™; attachment, blade sheath

### Also Available as

	18V Cordless Hedge Trimmer, 55cm Blade (1x4.0Ah)	
	Name: RHT1855R40F	Product Code: 5133003717

## **ONE+ SYSTEM** OHT1850X 18V Cordless Extended Reach Hedge Trimmer, 50cm Blade

- Extended reach hedge trimmer makes easy work of trimming hard-to-reach hedges and shrubs
- 50cm blade with 16mm blade gap to cut through branches
- 4-position articulating head for pruning all sizes of hedges and shrubs
- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep™ debris sweeper for easy removal of clippings



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	16
Blade length (cm)	50
Blade type	Diamond ground
Weight (without battery) (Kg)	3.2
Article Number	5133001249
EAN Code	4892210815439

### Standard equipment (OHT1850X)

HedgeSweep™ attachment, blade sheath

### Also Available as

	18V Cordless Extended Reach Hedge Trimmer, 50cm Blade (1x1.3Ah)	
	Name: RHT1850XLIS	Product Code: 5133003728

## **ONE+ SYSTEM** OPT1845 18V Cordless Pole Hedge Trimmer, 45cm Blade

- Powerful 18V motor easily cuts through hedges and branches
- 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap
- 115° articulating cutting head with 4 positions for versatile trimming
- Removable extension shaft for full length of 2.9m for extended reach tasks



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	18
Blade length (cm)	45
Blade type	Diamond Ground
Weight with battery pack (kg)	4.6
Article Number	5133002523
EAN Code	4892210138521

### Standard equipment (OPT1845)

Blade sheath, shoulder strap

### Also Available as

	18V Cordless Pole Hedge Trimmer, 45cm Blade (1x1.5Ah)	
	Name: RPT184515	Product Code: 5133002521

## ONE+™ OPP1820 18V Cordless Pole Pruner, 20cm Bar

- 20cm Oregon® bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 30° angled cutting head for easy pruning and better control
- Automatic bar and chain lubrication for continuous cutting



Power	18 V
No. of batteries supplied	0
Charger included?	No
Chain bar length (cm)	20
Chain speed (m/s)	5.5
Weight with battery pack (kg)	4.2
Article Number	5133001250
EAN Code	4892210815446

**Standard equipment (OPP1820)**  
Bar and chain oil, bar sheath, shoulder strap

### Also Available as

	18V Cordless Pole Pruner, 20cm Bar (1x1.5Ah)	
	Name: RPP182015S	Product Code: 5133003721

	18V Cordless Pole Pruner, 20cm Bar (1x2.5Ah)	
	Name: RPP182025F	Product Code: 5133003720

## ONE+™ OCS1830 18V Cordless Brushless Chainsaw, 30cm Bar

- High-performance premium Brushless motor for the ultimate cutting experience
- 30cm Oregon® bar and chain
- Automatic oiling system for user convenience
- Tool-less chain tensioning for easy adjustments
- Rear handle with overmould for comfortable use in any orientation
- Mechanical and electrical chain brake for safety



## BRUSHLESS™

Power	18 V
No. of batteries supplied	0
Charger included?	No
Chain bar length (cm)	30
Chain speed (m/s)	10
Tool-less chain tensioner	Yes
Weight with battery pack (kg)	3.6
Article Number	5133002829
EAN Code	4892210147820

**Standard equipment (OCS1830)**  
Bar and chain oil, bar sheath

### Also Available as

	18V Cordless Brushless Chain Saw, 30cm Bar (1x5.0Ah)	
	Name: RCS18X3050F	Product Code: 5133003800

## ONE+™ OBV18 18V Cordless Brushless Blower Vac

- High-performance Brushless motor technology to blow and vacuum with greater efficiency
- Turbo mode turns up the power for even the toughest jobs
- Over/under combination blower vac to easily switch between modes
- Overmould handle for comfort during extended use
- Variable speed for ultimate control during gardening tasks
- Ideal for hard surfaces, such as driveways, paths, and decks



## BRUSHLESS™

Power	18 V
No. of batteries supplied	0
Charger included?	No
Airflow speed (km/h)	201
Air volume (m³/min)	6.0
Weight with battery pack (kg)	4.1
Article Number	5133003661
EAN Code	4892210157904

**Standard equipment (OBV18)**  
45L leaf bag, shoulder strap, curb wheels

## **ONE+ 18V SYSTEM** OBL18JB 18V Cordless Jet Blower

- High-efficiency jet fan design provides maximum performance
- Variable speed control for ultimate versatility
- Built-in debris scraper to loosen stubborn dirt and leaves
- Overmould handle for comfort during extended use



Power	18 V
No. of batteries supplied	0
Charger included?	No
Airflow speed (km/h)	160
Air volume (m³/min)	7.9
Weight with battery pack (kg)	2.5
Article Number	5133003662
EAN Code	4892210157911

Standard equipment (OBL18JB)

## **ONE+ 18V SYSTEM** OBL1820S 18V Cordless Blower

- Ideal for hard surface sweeping, such as decks, patios, and driveways
- High speed nozzle provides airflow of 245km/h
- Lightweight design with ultimate cordless convenience makes quick work of clearing jobs
- Overmould for comfort over extended use



Power	18 V
No. of batteries supplied	0
Charger included?	No
Air volume (m³/min)	2.6
Airflow speed (km/h)	245
Weight with battery pack (kg)	2
Article Number	5133002663
EAN Code	4892210143488

Standard equipment (OBL1820S)

High speed nozzle

## **ONE+ 18V SYSTEM** OWS1880 18V Cordless Weed Sprayer

- Pressurises with the touch of a button, removing fatigue from manually pumping to pressurise
- 3.5L tank with built-in measuring cup
- Integrated lance design for single-handed operation
- Adjustable spray tip for variable spray



Power	18 V
No. of batteries supplied	0
Charger included?	No
Flow rate (l/h)	30
Tank capacity (l)	3.5
Weight with battery pack (kg)	1.9
Article Number	5133002676
EAN Code	4892210144447

Standard equipment (OWS1880)

# 18V Cordless Patio Cleaner

OPC1800

## Easy to use

Ergonomic design with telescoping handle.

## Versatile

Easily clear weeds and grass from between bricks, paving slabs, and more.



**MULTI**  
SURFACE CLEANING  
FOR  
**PAVING & DECKING**

### **ONE+ SYSTEM** 18V OPC1800 18V Cordless Patio Cleaner

**NEW**

- Easily clear weeds and grass from between bricks, paving slabs, and more
- No more kneeling: telescoping height adjustment means upright cleaning for any user
- Overmoulded and adjustable auxiliary handle for comfort over extended use
- Tool-free accessory change for quick transitions
- Detergents and accessories specialized to clean a variety of surfaces - sold separately



Power	18V
No. of batteries supplied	0
Charger included?	No
Weight with battery pack (kg)	3.1
Article Number	5133004315
EAN Code	4892210172525

Standard equipment (OPC1800)  
Wire Brush



**OSS1800**  
18V Cordless Seed Spreader

- Works with dry material including seed, fertiliser, salt and feed
- Variable flow rate and adjustable distribution area from 2.5m to 3.5m for control
- Anti-clog agitator keeps material flowing
- Holds up to 4L of dry material



Power	18 V
No. of batteries supplied	0
Charger included?	No
Capacity (l)	4
Weight with battery pack (kg)	1.9
Article Number	5133003729
EAN Code	4892210160201

Standard equipment (OSS1800)



**OBR1800**  
18V Cordless Insect Repeller

- Repels insects through refillable repellent mats, without open flame, smoke or irritating smells
- Creates 20m<sup>2</sup> zone of protection for a large insect-free area
- LED lantern with three brightness levels
- Handle and hook for easy placement anywhere in the garden
- Repellent mats are quick and easy to change, with additional on board mat storage



Power	18V
No. of batteries supplied	0
Charger included?	No
Zone of protection (m <sup>2</sup> )	20
Weight with battery pack (kg)	0.7
Article Number	5133003730
EAN Code	4892210160218

Standard equipment (OBR1800)

3 repellent mats

Only available in Finland,  
Sweden and Norway



**OES18**  
ONE+™ EasyStart™

- ONE+™ EasyStart™ ensures effortless starting of compatible petrol tools. No need to ever pull the cord again
- The easy way to start your compatible petrol hedge trimmer, brush cutter or grass trimmer
- Compatible Petrol Hedge Trimmer: RHT25X60RO
- Compatible Petrol Grass Trimmer: RLT254CDSO
- Compatible Petrol Brush Cutters: RBC254SESO, RBC254SBO, RBC31SESO, RBC31SBO, RBC42FSBO, RBC47SEO, RBC52FSBO, RBC52FSBOS
- The ONE+ EasyStart™ Module is part of the ONE+ System. Where one battery fits over 70 tools for the home and garden



Article Number	5132002803
EAN Code	4892210140012

Standard equipment (OES18)

Also Available as

ONE+™ EasyStart™ (1x1.3Ah)	
Name:	Product Code:
OES1813	5132002804



## **ONE+ SYSTEM**™ RB18L50 18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number	5133002433
EAN Code	4892210135940

## **ONE+ SYSTEM**™ RB18L40 18V 4.0Ah Lithium+ Battery

- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number	5133001907
EAN Code	4892210124104

## **ONE+ SYSTEM**™ RB18L25 18V 2.5Ah Lithium+ Battery

- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number	5133002237
EAN Code	4892210129062

## **ONE+ SYSTEM**™ RB18L20 18V 2.0Ah Lithium+ Battery

- Powerful 2.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Tough pack design with built in impact protection for long term durability



Article Number	5133002737
EAN Code	4892210145093

## **ONE+ SYSTEM**™ RB18L15 18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number	5133001905
EAN Code	4892210124081

## **ONE+ SYSTEM**™ RB18L13 18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability



Article Number	5133001904
EAN Code	4892210124074



## RB18L30

18V 3.0Ah Lithium+ HIGH ENERGY Battery

**NEW**

- Powerful 3.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- Tough pack design with built in impact protection for long term durability
- Drill up to 675 16x50mm holes with R18DD5
- Cut up to 100 metres of 18mm Hardwood Ply with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133002867

EAN Code 4892210149343

**Lithium+18V**  
**HIGH ENERGY**



## RB18L90

18V 9.0Ah Lithium+ HIGH ENERGY Battery

**NEW**

- Powerful 9.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- Tough pack design with built in impact protection for long term durability
- Drill up to 1080 16x50mm holes with R18DD5
- Cut up to 320 metres of 18mm Hardwood Ply with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133002865

EAN Code 4892210149381

**Lithium+18V**  
**HIGH ENERGY**



## RC18150

18V ONE+ Fast charger

- The fastest ONE+ charger ever. Charges at a rate of 5.0Amp/h meaning you can charge a 5.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Ready to go indicator shows when the battery has reached 80% capacity



Article Number 5133002638

EAN Code 4892210141873

**ONE+ SYSTEM** RC18120  
18V ONE+ Compact Charger

- Compact fast charger. Charges at a rate of 2.0Amp/h meaning you can charge a 2.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Ready to go indicator shows when the battery has reached 80% capacity



Article Number	5133002891
EAN Code	4892210150103

**ONE+ SYSTEM** RC18115  
18V ONE+ Compact Charger

- Compact fast charger. Charges at a rate of 1.5Amp/h meaning you can charge a 1.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability



Article Number	5133003589
EAN Code	4892210156372

**ONE+ SYSTEM** RC18118C  
18V ONE+ In-Car Charger

- Plugs into vehicle's 12V DC outlet, giving you the flexibility to charge batteries while driving or when access to power is limited
- ONE+ charger compatible with all ONE+ 18V Lithium+ batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Protective electronics audibly warns you and shuts down the charger if your vehicle's battery is too low



Article Number	5133002893
EAN Code	4892210150134

**ONE+ SYSTEM** RC18627  
18V ONE+ 6-Port Charger

- Power on demand - 6 port charging station makes an ideal hub to store all your ONE+ batteries
- Charges at a rate of 2.7Amp/h meaning you can charge a 2.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature before charging ensuring long term durability



Article Number	5133002630
EAN Code	4892210140906



# One battery fits all



**1.5Ah** RB18L15    **2.0Ah** RB18L20    **2.5Ah** RB18L25    **4.0Ah** RB18L40    **5.0Ah** RB18L50

			1.5Ah	2.0Ah	2.5Ah	4.0Ah	5.0Ah		
<b>DRILLING &amp; FASTENING</b>	<b>Percussion Drills</b>	<b>R18PD7</b>	4 x 32mm screws driven	525	500	625	1400	1750	
			16 x 50mm holes drilled in wood	110	150	187	300	375	
		<b>R18PD5</b>	4 x 32mm screws driven	600	900	1000	1680	2100	
			16 x 50mm holes drilled in wood	135	180	225	360	450	
		<b>R18PD3</b>	4 x 32mm screws driven	440	600	745	1240	1550	
		16 x 50mm holes drilled in wood	85	110	140	225	276		
		<b>R18PD2</b>	4 x 32mm screws driven	550	700	900	1750	2200	
			10 x 50mm holes drilled in wood	330	440	550	880	1100	
		<b>R18PDBL</b>	4 x 32mm screws driven	450	600	800	1440	1800	
			16 x 50mm holes drilled in wood	108	144	180	310	397	
		<b>Drill Drivers</b>	<b>R18DD5</b>	4 x 32mm screws driven	800	900	1000	1680	2100
				16 x 50mm holes drilled in wood	1440	180	225	360	450
			<b>R18DD3</b>	4 x 32mm screws driven	1800	600	745	1240	1550
			16 x 50mm holes drilled in wood	85	110	140	225	276	
			<b>R18DD2</b>	4 x 32mm screws driven	550	700	900	1750	2200
			10 x 50mm holes drilled in wood	330	440	550	880	1100	
		<b>SDS Hammer Drill</b>	<b>R18SDS</b>	6 x 40mm holes drilled in concrete	40	50	55	120	150
		<b>18V Right Angle Drill</b>	<b>RAD1801M</b>	4 x 32mm screws driven	188	250	320	560	700
	<b>Impact Drivers</b>	<b>R18IDBL</b>	4 x 65mm decking screws driven	186	229	287	571	689	
		<b>R18QS</b>		127	175	219	273	343	
		<b>R18ID3</b>		156	187	241	365	412	
		<b>RID1801M</b>		161	203	246	378	408	
		<b>R18IDP</b>		152	193	251	446	527	
	<b>Caulking Gun</b>	<b>CCG1801M</b>	Number of caulk tubes	19	25	31	53	66	
<b>WOODWORKING</b>	<b>Reciprocating Saws</b>	<b>R18RS7</b>	Cuts in 50mm x 100mm pine	71	99	124	230	282	
		<b>R18RS</b>		54	72	89	171	224	
		<b>RRS1801M</b>		25	31	39	67	92	
	<b>Circular Saws</b>	<b>R18CS7</b>	Metres of 13mm ply cut	31	39	45	94	111	
		<b>R18CS</b>		27	34	41	88	100	
		<b>R18CSP</b>		20	26	33	73	91	
		<b>RWSL1801M</b>		20	26	33	73	91	
	<b>Jigsaws</b>	<b>R18JS7</b>	Cuts in 50mm x 100mm pine	16	22	30	52	65	
			Metres of 13mm ply cut	7	8	11	24	31	
		<b>R18JS</b>	Cuts in 50mm x 100mm pine	13	17	22	39	49	
			Metres of 13mm ply cut	5	6	8	14	18	
	<b>Sliding Mitre Saw</b>	<b>R18MS216</b>	Cuts in 50mm x 100mm pine	69	92	115	233	292	
	<b>Mitre Saw</b>	<b>EMS190DCL</b>	Cuts in 22mm x 100mm pine	52	71	89	151	189	
	<b>18V Tile Saw</b>	<b>LTS180M</b>	Metres of 9mm ceramic tile cut	6	8	11	20	25	
	<b>Multi Tools</b>	<b>R18MT</b>	Plunge cuts in 13mm pine	225	300	375	600	750	
		<b>R18MT3</b>		190	250	310	504	630	
	<b>Planer</b>	<b>R18PL</b>	Metres of cut in pine	25	35	45	65	78	
	<b>Trim Router</b>	<b>R18TR</b>		6.8	9	11.2	18	22	



# 100+ tools



**1.5Ah** RB18L15    **2.0Ah** RB18L20    **2.5Ah** RB18L25    **4.0Ah** RB18L40    **5.0Ah** RB18L50



NAILERS	16G Nailer	R18N16G	50mm nails driven	335	447	567	978	1223
	18G Nailer	R18N18G		534	716	894	1589	1982
	18G Stapler	R18S18G		512	682	851	1379	1754



METAL WORKING	Angle Grinders	R18AG7	13mm threaded bar cuts	21	24	28	64	80
		R18AG		15	17	21	46	57



SANDERS	Belt Sander	R18BS	Minutes of sanding	3.5	5	6	9.5	12
	Random Orbital Sander	R18ROS		15	20	25	40	50
	1/4 Sheet Sander	R18SS4		14	18	23	36	45
	Palm Sander	R18PS		40	55	75	120	150
	File Sander	R18PF		13	18	22	35	44



INFLATORS	Inflators	R18I	Bicycle tyres inflated to 65psi	29	40	50	80	100
		R18VI	Double air mattresses inflated	8	10	14	21	27
		R18PI	Bicycle tyres inflated to 65psi	12	16	20	32	40



CLEANING	Hand Vac	R18HV	Minutes of vacuuming	9	12	15	25	30
	Blower	R18TB		21	28	35	56	70
	Project Vac	R18PV		5	7	8	13	16
	Debris Sweeper	R18SW3		60	81	101	162	202
	Transfer Pump	R18TP		Litres of water moved	355	500	560	750



AUTO	Impact Wrenches	R18IW7	Number of wheel nuts removed	58	77	96	154	192
		R18IW3		40	50	62	100	125
	Buffer	R18B	Minutes of buffing	36	50	60	100	125



CRAFT	Rotary Tool	R18RT	Number of nails cut	56	80	93	113	194
	Soldering Iron	R18SOI	Minutes of soldering	69	92	115	184	230
	Glue Gun	R18GLU	Number of glue sticks	14	19	24	45	58
	Paint sprayer	P620	Area (m <sup>2</sup> ) of paint coverage	48	68	84	140	176



LIFESTYLE	Stereo	R18RH	Hours of play	4.5	6	7.5	12	15
	Radio	R18R		5.5	7.5	9	15	19
	Fan	R18F	Hours of use	5.5	7	9	14.5	18
	USB Adapter	R18USB	Number of complete phone charges	2.5	3.5	4	6.5	8.5



LIGHTS	Hybrid Area Light	R18ALH	Minutes of use	90	120	150	240	300	
	Folding Area Light	R18ALF		120	180	225	360	450	
	Spotlight	R18SPL		36	48	60	90	120	
	Flashlight	RFL180M		120	180	240	360	420	
	Area Light	R18ALU		Hours of use	14	19	24	38	48
	Torch	R18T		11	14	18	29	36	

# 4V/7V/12V/14.4V

4V Tools	55
7V Tools	55
12V Tools	56
14.4V Tools	56



## ERGO

### 4V Cordless ERGO Screwdriver

- Ideal for household screwdriving applications such as assembling flat pack furniture
- Bright LED light for working in dimly lit areas
- Includes 10 screwdriving bits to accommodate many different screws
- Up to 5Nm screwdriving force
- Quick change hex chuck for easy bit changes
- The ERGO comes in a durable zipper case, great for storing screwdriver bits and screws in
- Easy charging with the micro USB cable supplied
- Screwdrive up to 80 screws per charge



Power	4V
No. of batteries supplied	1
Charging time (min)	3 hr
Max. torque (Nm)	5
Tool reception	1/4" Hex
Weight (kg)	0.4
Supplied in	Plastic case
Article Number	5133003411
EAN Code	4892210154651

#### Standard equipment (ERGO)

10 piece screwdriver bit set and micro USB charging cable

#### Compatible Accessories

	Name: ERGO CLUTCH Product Code: 5133003690		Name: ERGO OFFSET Product Code: 5133003691		Name: ERGO RIGHT ANGLE Product Code: 5133003692
---	---	---	---	---	--

## ERGO-A2

### 4V Cordless ERGO Screwdriver Kit

- Ideal for household screwdriving applications such as assembling flat pack furniture
- Includes ERGO OFFSET and ERGO RIGHT ANGLE adaptors for working at awkward angles and in tight spaces
- Includes 10 screwdriving bits to accommodate many different screws
- Up to 5Nm screwdriving force
- Quick change hex chuck for easy bit changes
- Bright LED light for working in dimly lit areas
- The ERGO comes in a durable zipper case, great for storing screwdriver bits and screws in
- Easy charging with the micro USB cable supplied
- Screwdrive up to 80 screws per charge



Power	4V
No. of batteries supplied	1
Charging time (min)	180
Max. torque (Nm)	5
Tool reception	1/4" Hex
Weight (kg)	0.4
Supplied in	Plastic case
Article Number	5133003408
EAN Code	4892210154644

#### Standard equipment (ERGO-A2)

10 piece screwdriver bit set, ERGO OFFSET adaptor, ERGO RIGHT ANGLE adaptor and micro USB charging cable

#### Compatible Accessories

	Name: ERGO CLUTCH Product Code: 5133003690		Name: ERGO OFFSET Product Code: 5133003691		Name: ERGO RIGHT ANGLE Product Code: 5133003692
---	---	---	---	---	--

## R7SD-L13G

### 7.2V Cordless Drill Driver

- 7.2V Lithium Ion Drill ideal for many household applications ranging from cabinetry, hanging curtains, and other do-it-yourself projects
- Compact and lightweight design for prolonged use
- 10mm chuck fits various drilling / driving accessories
- LED light illuminates work surfaces for increased visibility
- Variable speed trigger for added control while screwdriving
- On-board fuel gauge displays remaining power



Power	7.2V
No. of batteries supplied	1
Charging time (min)	360
Max. torque (Nm)	10
Chuck capacity (mm)	10
Max. drilling wood (mm)	10
Max. drilling steel (mm)	5
Weight (kg)	0.9
Article Number	5133002484
EAN Code	4892210137692

#### Standard equipment (R7SD-L13G)

24 screwdriver bits

#### Compatible Accessories

	Name: RAK31MSDI Product Code: 5132002817
---	---

## R14DDE-LL15S

### 14.4V Cordless Drill Driver

- Ergonomic handle for great comfort and control
- 13mm keyless chuck
- Electronic quick mode selection
- 20 electronic torque control settings for total control
- LED work light for working in dimly lit areas
- 3 stage fuel gauge displays remaining power
- Powerful motor provides up to 45Nm torque
- 2 gears with no load speed of up to 1450 rpm for faster task completion
- Lithium+ battery technology give more power, longer runtime and better durability than our previous lithium batteries
- Soft touch trigger, gear switch and battery latch for user comfort
- Super Compact measuring only 212mm in height and 186mm in length
- High drilling capacities, up to 32mm in wood



Power	14.4V
No. of batteries supplied	2
Charging time (min)	60
Max. torque (Nm)	45
Chuck capacity (mm)	13
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1450
Torque settings	20 e-Torque
Weight with battery pack (kg)	1.6
Supplied in	Tool bag
Article Number	5133001900
EAN Code	4892210123626

#### Standard equipment (R14DDE-LL15S)

1 x double ended screwdriver bit

## R12DD-L13S

### 12V Cordless Drill Driver

- 2 speed drill driver with light and compact design
- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- LED work light to illuminate the work piece
- fuel gauge to indicate power levels



Power	12V
No. of batteries supplied	1
Charging time (min)	60
Max. torque (Nm)	30
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1500
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Torque settings	22
Weight with battery pack (kg)	1
Supplied in	Tool bag
Article Number	5133001800
EAN Code	4892210122537

#### Standard equipment (R12DD-L13S)

1 x double ended screwdriver bit

## RCD12012L

### 12V Cordless Drill Driver

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact - ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Electronic variable speed, reverse and break for total control
- Single sleeve chuck makes it easy to change accessories
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone+ with microtexture for a positive grip



Power	12V
No. of batteries supplied	2
Charging time (min)	60
Max. torque (Nm)	25
Chuck capacity (mm)	10
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.1
Supplied in	Tool bag
Article Number	5133001158
EAN Code	4892210118479


#### Standard equipment (RCD12012L)

1 x double ended bit



# ELECTRIC CONTENTS

Drilling	58–61
Metal Working	62–64
Sawing	64–66
Woodworking	67–72
Decorating	73



## RPD500-G

### 500W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort



Power	500W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	3,000
Percussion rate gear 1	0-50,000
Max. drilling wood (mm)	25
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Weight (kg)	1.6
Article Number	5133001832
EAN Code	4892210122766

#### Standard equipment (RPD500-G)

360° Auxiliary handle, depth stop

## RPD680-K

### 680W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck



Power	680W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.7
Supplied in	Kitbox
Article Number	5133002016
EAN Code	4892210125934

#### Standard equipment (RPD680-K)

360° Auxiliary handle, depth stop



## RPD800-K 800W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck
- Built in LED light ensures your work piece is always well lit and clearly visible



Power	800W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	34
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.8
Supplied in	Kitbox
Article Number	5133002018
EAN Code	4892210125910

**Standard equipment (RPD800-K)**  
360° Auxiliary handle, depth stop

## RPD1010-K 1010W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2 gears to control the max speed to match different materials and applications
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	1010W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/13
Max. drilling masonry (mm)	16/20
Weight (kg)	3.05
Supplied in	Kitbox
Article Number	5133002058
EAN Code	4892210126764

**Standard equipment (RPD1010-K)**  
360° Auxiliary handle, depth stop



## RPD1200-K 1200W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2 gears to control the max speed to match different materials and applications
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	1200W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/16
Max. drilling masonry (mm)	18/22
Weight (kg)	3.2
Supplied in	Kitbox
Article Number	5133002067
EAN Code	4892210126788

**Standard equipment (RPD1200-K)**  
360° Auxiliary handle, depth stop

## RSDS680-G 680W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 2.1J EPTA of impact energy ideal for drilling holes in stone and concrete
- 680W motor produces 0-2,150 RPM and 0-5,000 BPM delivering best in class drilling performance of 22mm in concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Compact and lightweight gives the user maximum comfort and control when drilling



Power	680W
Chuck type	SDS+
Joule	2.1
No load speed (rpm)	0-2,150
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	30
Max. drilling steel (mm)	13
Weight (kg)	2.7
Supplied in	Kitbox
Article Number	5133002635
EAN Code	4892210141934

**Standard equipment (RSDS680-G)**  
360 Auxiliary Handle, Depth Stop, 1x 6mm drill bit



## RSDS800-K 800W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 2.95J EPTA of impact energy ideal for drilling holes in stone and concrete
- 800W motor produces 0-1,450RPM and 0-5,000BPM delivering best in class drilling performance of 28mm in concrete
- Compact and Lightweight L-Shape design allows the user to get closer to the work piece and provides a better balance
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	800W
Chuck type	SDS+
Joule	2.95
No load speed (rpm)	0-1,450
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	28
Weight (kg)	3.4
Supplied in	Kitbox
Article Number	5133002463
EAN Code	4892210136558

### Standard equipment (RSDS800-K)

360° Auxiliary Handle, Depth Stop, 1x 6mm SDS+ Drill bit

## RSDS1050-K 1050W Corded SDS+ Rotary Hammer Drill

**NEW**

- Pneumatic hammer mechanism delivers 3.6J EPTA of impact energy ideal for drilling holes in stones or concrete
- 1050W motor produces 0-950RPM and 0-4000BPM delivering exceptional drilling performance
- L-Shape design allows the user to get closer to the work piece and provides better balance
- 3 modes for extra versatility (hammer drill, rotary drill, chisel)



Power	1050W
Chuck type	SDS+
Joule	3.6
No load speed (rpm)	0-950
Max. percussion rate (bpm)	0-400
Max. drilling masonry (mm)	26
Weight (kg)	7
Article Number	5133004350
EAN Code	4892210170644

### Standard equipment (RSDS1050-K)

x3 SDS drill bits (8mm, 10mm, 12mm x 150mm), x1 pointed chisel, x1 flat chisel,



## RAG600-115G

### 600W Corded Angle Grinder, 115mm disc

- 600W motor with a high torque gear box
- Class leading grinding speed of 13,000 RPM
- Spindle lock and adjustable 115mm guard for easy wheel and accessory changing
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevent accidental starting when plugged into power mains by defaulting to off position



Power	600 W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	13,000
Weight (kg)	2.0
Article Number	5133002487
EAN Code	4892210137104

#### Standard equipment (RAG600-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RAG750-115G

### 750W Corded Angle Grinder, 115mm Disc

- Powerful 750W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	750 W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002489
EAN Code	4892210137128

#### Standard equipment (RAG750-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RAG800-115G

### 800W Corded Angle Grinder, 115mm Disc

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronic prevents accidental starting when plugged into power mains by defaulting to off position



Power	800 W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002518
EAN Code	4892210138811

#### Standard equipment (RAG800-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RAG800-125G

### 800W Corded Angle Grinder, 125mm Disc

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	800 W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002491
EAN Code	4892210137142

#### Standard equipment (RAG800-125G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RAG950-125S

### 950W Corded Angle Grinder, 125mm Disc

- Powerful 950W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	950 W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Weight (kg)	2.5
Article Number	5133002495
EAN Code	4892210137180

#### Standard equipment (RAG950-125S)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RAG1010-125SF

### 1010W Corded Angle Grinder, 125mm Disc

- Powerful 1010W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position
- EASYFIX nut enables tool-less accessory change



Power	1010 W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Weight (kg)	2.5
Article Number	5133002497
EAN Code	4892210137203

#### Standard equipment (RAG1010-125SF)

1x Grinding Wheel, Wheel Guard, Auxiliary Handle

## EAG2000RS

### 2000W Corded Angle Grinder, 230mm Disc

- Full length trigger switch with overmould
- 180° multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing



Power	2000W
Disc diameter (mm)	230
Bore size (mm)	22-
Spindle size	M14
No load speed (rpm)	6,000
Weight (kg)	6.0
Supplied in	Kitbox
Article Number	5133000550
EAN Code	4892210111807

#### Standard equipment (EAG2000RS)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

## RJS720-G

### 500W Corded Jigsaw

- Most visible cut line through being compact and slim with forwards dust blower clearing the cut line
- Features such as new flat saw bar, line assist, flush cutting capability increases the accuracy of the cut
- 500W motor with 0-3,000spm produces cut capacities of 72mm in wood and 6mm in steel ensuring no compromise is made in performance



Power	500W
Stroke length (mm)	19
No load stroke rate (spm)	0-3,000
Max. cutting capacity wood (mm)	72
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Article Number	5133002238
EAN Code	4892210129239

#### Standard equipment (RJS720-G)

1x Wood Blade, 1x Hex Key, 1x Dust Port

## RJS750-G

### 500W Corded Jigsaw

- Most visible cut line delivered by slim profile and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanisms and LINEASSIST
- Quick lock one finger blade clamp allows user to change blade easily
- Most compact and comfortable jigsaw with ergonomic handle and detachable vacuum port



Power	500W
Stroke length (mm)	19
No load stroke rate (spm)	0-3,000
Max. cutting capacity wood (mm)	75
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Article Number	5133002215
EAN Code	4892210128317

#### Standard equipment (RJS750-G)

1x Wood Blade, 1x Hex Key, 1x Dust Port



## RJS850-K

### 600W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly



Power	600W
Stroke length (mm)	23
No load stroke rate (spm)	500-3,100
Max. cutting capacity wood (mm)	85
Max. cutting capacity steel (mm)	9
Weight (kg)	2.0
Supplied in	Kitbox
Article Number	5133002217
EAN Code	4892210128348

#### Standard equipment (RJS850-K)

1 x Wood Blade, 1 x Hex Key, 1 x Dust Port

## RJS1050-K

### 680W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly
- FLUSHCUT blade allows user to cut up to the guard
- Retractable fin helps straight line accuracy



Power	680W
Stroke length (mm)	23
No load stroke rate (spm)	500-3,100
Max. cutting capacity wood (mm)	105
Max. cutting capacity steel (mm)	12
Weight (kg)	2.2
Supplied in	Kitbox
Article Number	5133002219
EAN Code	4892210128379

#### Standard equipment (RJS1050-K)

1x Wood Blade, 1x Flush Cut Blade, 1x Dust Port

## RRS1200-K

### 1200W Corded Reciprocating Saw

- Powerful 1200W motor produces market leading cutting performance of 0-3,000 RPM. Ideal for demolition jobs!
- 30mm stroke length utilises more of the teeth on the blade
- Tool-less blade clamp for quick and easy blade changes
- Adjustable shoe increases blade life
- Anti-vibration handle ensures the high power doesn't negatively impact on the users experience.
- Overmould cable clip prevents the cable getting in the way of the cutting blade



Power	1200W
Stroke length (mm)	30
No load stroke rate (spm)	0-3000
Max. cutting capacity wood (mm)	200
Max. cutting capacity aluminium (mm)	20
Max. cutting capacity steel (mm)	20
Weight (kg)	5.25
Supplied in	Kitbox
Article Number	5133002472
EAN Code	4892210136954

#### Standard equipment (RRS1200-K)

1 x 6" Wood Blade, 1 x Hex Key

## RCS1400-G 1400W Corded Circular Saw

- Premium 190mm blade with 20 carbide tipped teeth provides superb performance and cut quality
- Powerful 1400W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting



Power	1400W
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Weight (kg)	3.3
Article Number	5133002778
EAN Code	4892210145741

### Standard equipment (RCS1400-G)

1 x 20-tooth TCT blade, parallel fence, wrench

## RCS1600-K 1600W Corded Circular Saw

- Premium 190mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Powerful 1600W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting
- Integrated laser beam for improved accuracy



Power	1600W
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Supplied in	Kitbox
Weight (kg)	3.7
Article Number	5133002779
EAN Code	4892210145758

### Standard equipment (RCS1600-K)

1 x 24-tooth TCT blade, parallel fence, wrench



## RPS80-G 80W Corded Palm Sander

- Ideal for light weight applications such as fine finishing and paint preparation
- Compact 80W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection



Power	80W
Oscillation rate (opm)	24,000
Diameter of orbit (mm)	1.6
No load speed (rpm)	12,000
Sanding pad size (mm)	99x149
Supplied in	Gift box
Weight (kg)	1.0
Article Number	5133002905
EAN Code	4892210150813

Standard equipment (RPS80-G)  
3 x corner sandpaper, 3 x finger sandpaper

## RPS100-S 100W Corded Palm Sander

- Ideal for light weight applications such as fine finishing and paint preparation
- Compact 100W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection



Power	100W
Diameter of orbit (mm)	1.6
Oscillation rate (opm)	24,000
No load speed (rpm)	12,000
Sanding pad size (mm)	99x149
Supplied in	Tool bag
Weight (kg)	1.1
Article Number	5133002902
EAN Code	4892210150783

Standard equipment (RPS100-S)  
5 x corner sandpaper, 5 x finger sandpaper



## RMS180-S 180W Corded Multi-Pad Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment



Power	180 W
Diameter of orbit (mm)	2.0
No load speed (rpm)	6,000-12,000
Sanding pad size (mm)	100x176
Supplied in	Tool bag
Weight (kg)	2.0
Article Number	5133002907
EAN Code	4892210150837

### Standard equipment (RMS180-S)

5 x corner sandpaper, 5 x third-sheet sandpaper, 5 x finger sandpaper

## RMS170-G 170W Multi-Pad Sander

- Quick fit hook and loop sanding sheet attachment
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment



Power	170 W
Diameter of orbit (mm)	2.0
No load speed (rpm)	6,000-12,000
Sanding pad size (mm)	100x176
Supplied in	Gift box
Weight (kg)	1.6
Article Number	5133002911
EAN Code	4892210150875

### Standard equipment (RMS170-G)

2 x corner sandpaper, 2 x third sheet sandpaper, 2 x finger sandpaper

## RSS200-G 200W Third Sheet Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 200W motor and durable construction for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook & loop system or manual clamps for added versatility
- Cyclonic action dust extraction system for efficient dust collection
- Low vibration for comfortable sanding



Power	200W
Diameter of orbit (mm)	2.0
Oscillation rate (opm)	24,000
No load speed (rpm)	12,000
Sanding pad size (mm)	93x185
Weight (kg)	1.9
Article Number	5133003500
EAN Code	4892210148766

### Standard equipment (RSS200-G)

2 x 60 grit, 1 x 100 grit, 1x 150 grit sanding sheets.

## RSS280-S 280W Third Sheet Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 280W motor and durable construction for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook & loop system or manual clamps for added versatility
- Cyclonic action dust extraction system for efficient dust collection
- Low vibration for comfortable sanding



Power	280W
Diameter of orbit (mm)	2.0
Oscillation rate (opm)	0-26,000
No load speed (rpm)	0-13,000
Sanding pad size (mm)	93X185
Supplied in	Tool bag
Weight (kg)	2.3
Article Number	5133003502
EAN Code	4892210148780

### Standard equipment (RSS280-S)

10x 60 grit, 10x 100 grit, 10x 150 grit sanding sheets.

## ROS300A 300W Corded Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 300W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power	300W
Oscillation rate (opm)	14,000-24,000
Oscillation diameter (mm)	2.4
Sanding pad size (mm)	125
Supplied in	Tool bag
Weight (kg)	1.7
Article Number	5133001142
EAN Code	4892210118325

### Standard equipment (ROS300A)

20 x quick fix sanding sheets



## ROS310-SA20

### 310W Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 310W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power	<b>310W</b>
Diameter of orbit (mm)	<b>2.4</b>
Oscillation rate (opm)	<b>14,000-24,000</b>
No load speed (rpm)	<b>7,000-12,000</b>
Sanding pad size (mm)	<b>125</b>
Supplied in	<b>Tool bag</b>
Weight (kg)	<b>2.9</b>
Article Number	<b>5133003616</b>
EAN Code	<b>4892210157089</b>

#### Standard equipment (ROS310-SA20)

20 x quick fix sanding sheets

## EBS800V

### 800W Corded Belt Sander

- Ideal for heavy duty applications over large areas such as flooring or substantial stock removal
- 76mm (3") belt with a powerful 800W motor for rapid stock removal
- Variable speed (150-320 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Cyclonic action dust box for efficient dust collection
- 4 position adjustable handle for comfort and control
- Automatic tracking to keep the sanding belt centralised, saving time and ensuring a better finish
- Gripzone+™ overmold for added comfort and control
- Livetool Indicator™ glows blue when plugged into power supply



Power	<b>800W</b>
Belt speed (rpm)	<b>150-320</b>
Belt width (mm)	<b>76</b>
Sanding pad size (mm)	<b>76 x 150</b>
Weight (kg)	<b>3.3</b>
Supplied in	<b>Kitbox</b>
Article Number	<b>5133001146</b>
EAN Code	<b>4892210118301</b>

#### Standard equipment (EBS800V)

1 x 60 grit sanding sheet, 1 x 100 grit sanding sheet, 1 x 120 grit sanding sheet, 2 x G-clamps, sanding frame

## RMT300-SA

### 300W Corded Multitool with Softbag

- Most versatile power tool with 300W motor, lets you complete a variety of different jobs with the change of the accessory head
- 3.2° oscillation angle optimised for cutting speed and smooth finish
- 4 Position articulating head offers the user increased versatility of angle for applications in tight to reach areas
- Tool less blade change
- Universal accessory adaptor makes the product compatible with any brand of accessories
- Built-in LED light ensures your work piece is always well lit and clearly visible
- Included 30 piece accessory set gives you everything you need straight out of the box



Power	<b>300W</b>
Oscillation rate (opm)	<b>10,000-22,000</b>
Oscillation angle (°)	<b>3.2°</b>
Supplied in	<b>Tool bag</b>
Weight (kg)	<b>1.4</b>
Article Number	<b>5133002446</b>
EAN Code	<b>4892210135278</b>

#### Standard equipment (RMT300-SA)

x1 9mm Sanding Pad, Sanding Paper 60 grit x8, 80 grit x8, 120 grit x8, Plunge Cut Wood x2, Fluch Cut Wood/Metal, Grout Blade x1, Scraper Blade x1, Depth Gage x1, Dust Port x1

## RMT200-S 200W Corded Multi Tool

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- Variable speed for ultimate control across a range of applications
- GripZone™ overmould for a positive grip and improved comfort



Power	200W
Oscillation rate (opm)	10,000-20,000
Oscillation angle (°)	3 Degrees
Weight (kg)	1.6
Supplied in	Tool bag
Article Number	5133001818
EAN Code	4892210122629

### Standard equipment (RMT200-S)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

## EHT150V 150W Corded Rotary Tool with 115 Accessories

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast and easy accessory change
- Livetool Indicator™ glows blue when plugged into power supply



Power	150W
No load speed (rpm)	10,000-35,000
Collet capacity (mm)	3.2 mm & 1.6 mm
Supplied in	Kitbox
Weight (kg)	0.6
Article Number	5133000754
EAN Code	4892210114723

### Standard equipment (EHT150V)

115 accessories including a flex shaft and bench clamp

## EPN6082CHG 600W Corded Planer

- 0.5mm chamfering groove in diecast front shoe for added precision
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power	600W
Planing depth (mm)	1.5
Planing width (mm)	82
Rebate depth (mm)	0-8
No load speed (rpm)	16,000
Weight (kg)	3.1
Article Number	5133000350
EAN Code	4892210111098

### Standard equipment (EPN6082CHG)

2 x TCT blades, dust bag, side fence, wrench

## EPN7582NHG 750W Corded Planer

- Ideal for flattening and smooth rough wood surfaces
- 3 chamfering grooves (0.5,1,1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power	750W
Planing depth (mm)	2
Planing width (mm)	82
Rebate depth (mm)	0-12
No load speed (rpm)	16,000
Supplied in	Kitbox
Weight (kg)	3.2
Article Number	5133000352
EAN Code	489221011111

Standard equipment (EPN7582NHG)  
2 x TCT blades, dust bag, side fence, wrench

## RRT1600-K 1600W Corded Router

- Powerful 1600W router makes light work of your woodworking jobs and is ideal for building cabinets
- 0-55mm plunge depth with fine height adjustment for precision control and repeatable cutting with the same settings
- Softstart and in-use speed control gives the user maximum control when using the tool
- Transparent chip deflector clears away chips so you can always see your line of cut
- 5 most common cutters included to give you a comprehensive start in routing



Power	1600W
No load speed (rpm)	10,000 - 26,000
Collet capacity (mm)	6.8
Plunge capacity (mm)	0-55
Weight (kg)	7.6
Article Number	5133002421
EAN Code	4892210133632

Standard equipment (RRT1600-K)  
1 x 6mm Straight Cutter, 1 x 6mm V-Groove Cutter, 1 x Dovetail Cutter, 1 x Round Over Cutter, 1 x Chamfer Cutter, 1 x Parallel Guide, Template Guide, Dust Port, 1 x 6mm Collet, 1 x 8mm Collet, 1 x Wrench.





## EHG2000 2000W Corded Heat Gun

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Removable front heat shield allows easy changes between accessories
- Two air flow settings
- Two heat settings 60°C / 600°C
- Overheat protection sensor
- Convenient hanging hook



Power	2000W
Air flow (l/min)	250/500
Weight (kg)	0.7
Article Number	5133001137
EAN Code	4892210118165

Standard equipment (EHG2000)  
2 x nozzles

## EHG2000LCD 2000W Corded Heat Gun with LCD Display

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Choose your temperature based on your application
- Includes LCD temperature indicator
- Removable front heat shield allows easy changes between accessories
- Two airflow settings
- Overheat protection sensor
- Convenient hanging hook



Power	2000W
Air flow (l/min)	250/500
Supplied in	Kitbox
Weight (kg)	0.8
Article Number	5133001140
EAN Code	4892210118189

Standard equipment (EHG2000LCD)  
4 x nozzles, 1 x scraper



# BENCHTOP

Mitre Saws	75–76
Table Saws	76–77
Wet Tile Saw	77
Band Saw	77
Scroll Saw	78
Grinders	78
Sanders	79
Drill Press	79
Thicknesser	79
Leg Stands	80



## EMS216L

### 1500W Corded Mitre Saw, 216mm Blade

- Exactline Laser Technology™ for guiding the user and increasing accuracy
- 2 LED's for maximum visibility of cut line
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- An upgraded 1500W motor for more powerful performances
- Extra wide side extensions to support large timber
- Ergonomic GripZone for comfortable and fast cuts



Power	1500W
Blade diameter (mm)	216
Blade type	48-tooth TCT
No load speed (rpm)	5000
Max. cutting capacity 0 mitre/ 45 bevel [mm]	48mm x 270mm
Max. cutting capacity 45 mitre 0 bevel [mm]	70mm x 185mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48mm x 185mm
Weight (kg)	13
Article Number	5133001197
EAN Code	4892210119384

**Standard equipment (EMS216L)**  
48-tooth TCT blade, 2x extension, work clamp, dust bag, wrench

## EMS254L

### 2000W Corded Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity



Power	2000W
Blade diameter (mm)	254
Blade type	48-tooth TCT
No load speed (rpm)	4,500
Max. cutting capacity 0 mitre/ 45 bevel [mm]	58mm x 300mm
Max. cutting capacity 45 mitre 0 bevel [mm]	90mm x 200mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	58mm x 200mm
Weight (kg)	16.2
Article Number	5133001202
EAN Code	4892210119148

**Standard equipment (EMS254L)**  
24-tooth TCT blade, 2x extensions, work clamp, dust bag, wrench

## RTMS1800-G

### 1800W Corded Table Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for guiding the user and increasing accuracy
- 1800W motor and a 48TCT blade for powerful performances
- Cast aluminum table that provides a perfectly flat cutting surface and a laser that offers guidance
- Light and compact for easy storage and transportation.
- Ergonomic handle that promises comfortable repeat cuts
- Ssoft start feature that delivers extra protection
- Overload protection for longer product life expectancy



Power	1800W
Blade diameter (mm)	254
Blade type	48-tooth TCT
No load speed (rpm)	4,800
Max. cutting capacity 0 mitre/ 45 bevel [mm]	48mm x 130mm
Max. cutting capacity 45 mitre 0 bevel [mm]	70mm x 85mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48mm x 83mm
Weight (kg)	26.8
Article Number	5133002152
EAN Code	4892210128225

**Standard equipment (RTMS1800-G)**  
48-tooth TCT blade, work clamp, dust bag, wrench

## EMS305RG

### 2200W Mitre Saw, 305mm Blade

- Ideal for a variety of wood working applications including cutting worktops, boards, decking and sheet materials.
- Aluminium die cast base for maximum accuracy and durability
- 48 tungsten carbide blade gives a smooth finish to the application
- Includes 2 LEDs for maximum work area illumination
- Provides a max cross cut of 110x300mm at 90 degrees



Power	2200W
Blade diameter (mm)	305
Blade type	TCT Carbide
No load speed (rpm)	5000
Max. cutting capacity 0 mitre/ 45° bevel [mm]	70mm x 300mm
Max. cutting capacity 45 mitre 0 bevel [mm]	110mm x 210mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	70mm x 210mm
Weight (kg)	20.7
Article Number	5133002721
EAN Code	4892210119360

#### Standard equipment (EMS305RG)

48T TCT blade, 2x extension, work clamp, dust bag, wrench

## RTS1800-G

### 1800W Corded Table Saw, 254mm Blade

- Powerful 1800W motor for easy cutting
- Aluminium table top and front & rear locking sides for accurate cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angles to be cut between +60° and -60°



Power	1800W
No load speed (rpm)	4,500
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 590
Weight (kg)	17.8
Article Number	5133002021
EAN Code	4892210126276

#### Standard equipment (RTS1800-G)

48-tooth TCT blade

## RTS1800ES-G

### 1800W Corded Table Saw, 254mm Blade, with Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support of up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and / or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Removable and collapsible stand for easy storage



Power	1800W
No load speed (rpm)	4,800
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	24.3
Article Number	5133002023
EAN Code	4892210126023

#### Standard equipment (RTS1800ES-G)

48-tooth TCT blade, Collapsible stand

## RTS1800EF-G

### 1800W Corded Table Saw, 254mm Blade, with Wheeled Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Soft start ensures the product is easy to use and protects long term durability
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Deluxe collapsible stand with wheels for easy storage and transportation



Power	1800W
No load speed (rpm)	4,500
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	26.8
Article Number	5133002025
EAN Code	4892210125996

#### Standard equipment (RTS1800EF-G)

48-tooth TCT blade, Deluxe collapsible stand

## WS721S

### 500W Corded Wet Tile Saw, 178mm Blade

- Stainless steel cutting table for increased durability Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC), chicken wire, cardboard, lino flooring, carpet, denim and leather
- Mitre guide for making mitre cuts from 0 to 45 degrees
- The rip guide locks along the front and rear of the table for added stability
- Folding leg stand provides secure platform with convenient portability
- 17.8cm continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Integrated water tray for dust free cutting
- Circuit breaker plug for additional safety when wet cutting
- Integrated water tray for dust free cutting



Power	500W
No load speed (rpm)	2,900
Blade diameter (mm)	178
Bore size (mm)	25.4
Max. cutting depth (mm)	32
Bevel capacity (°)	45
Weight (kg)	15.7
Article Number	5133002020
EAN Code	4892210126214

#### Standard equipment (WS721S)

Diamond blade, stand, mitre fence and rip fence

## RBS904

### 350W Band Saw

- Designed for a variety of woodworking applications
- Features a blade tracking sight window and rack and pinion blade support adjustment system for greater accuracy
- Delivers a 230mm throat capacity and a 80mm cutting capacity (height) to tackle the most versatile applications
- Precision aluminium interior blade wheels minimise vibration



Power	350W
No load speed (m/min)	40
Max. cutting depth (mm)	80
Blade length (mm)	1572
Blade width (mm)	3.2-9.5
Article Number	5133002714
EAN Code	4892210125811

#### Standard equipment (RBS904)

Extension support, push stick, hex keys, blade and mitre gauge

## RSW1240G 125W Scroll Saw

- Features a 405mm maximum cutting capacity and easy, tool-free blade changes
- Cast aluminium table tilts from 0 to 45 degrees
- A variable-speed design offers flexibility to power through a variety of applications
- Integrated dust blower keeps the cutting surface clear of debris for maximum visibility
- Cast iron base reduces vibration for a more accurate cut
- Tool-free blade clamp accepts plain and pin end blades



Power	125W
Max. cutting depth (mm)	52
Blade diameter (mm)	127
Blade speed (rpm)	550-1700
Angle capacity (°)	0-45
Stroke length (mm)	20
Article Number	5133002720
EAN Code	4892210122476

**Standard equipment (RSW1240G)**  
Blade, allen key, pinless blade adapter

## RBG6G 250W Bench Grinder

- Designed for grinding and sharpening the toughest metals into shape & keeping your tools & hardware sharp and ready for use
- Cast aluminium base reduces vibration and improves stability



Power	250 W
No load speed (rpm)	2850
Wheel size (mm)	150x20
Bore size (mm)	12.7
Wheel grit	36 / 60
Article Number	5133002716
EAN Code	4892210120410

**Standard equipment (RBG6G)**  
36/60 grit grinding wheels, 2x protective lens, 2x work supports

## RBGL650G 370W Grinder Sander

- Designed to tackle a variety of different applications including sanding, shaping, grinding and sharpening
- Inbuilt work light for superior visibility of application
- Includes coolant tray to help cool materials following grinding



Power	370 W
No load speed (rpm)	2850
Sanding belt size (mm)	50 x 686
Wheel size (mm)	150 x 20
Wheel grit	36
Article Number	5133002717
EAN Code	4892210122483

**Standard equipment (RBGL650G)**  
36 grit grinding wheel, sanding belt, protective lens, 2x work supports

## RBDS4601G 375W Belt and Disc Sander

- Ideal tool for all of your residential sanding needs
- Powerful induction motor for long lasting dependable performance
- Belt can be positioned horizontally or vertically at 0 or 90 degrees
- Built in dust port for vacuum hook up
- Cast iron base keeps the unit stable during use



Power	375W
Belt speed (rpm)	492
Sanding belt size (mm)	100 X 914
Disc speed (rpm)	2850
Disc diameter (mm)	150
Weight (kg)	18.5
Article Number	5133002718
EAN Code	4892210122490

### Standard equipment (RBDS4601G)

Mitre table, mitre fence, 1x sanding belt, 1x sanding disc

## RDP102L 390W Drill Press

- Designed to drill precise and uniform holes at different angles
- Built in lasers provide precise prediction of drilling location
- Cast iron base reduces vibration for more accurate drilling
- Tilting cast iron table tilts tool free from 0-45 degrees
- Adjustable depth stop for repetitive drilling applications



Power	390W
No load speed (rpm)	510 - 2430
Spindle Stroke	50
Chuck capacity (mm)	13
Chuck type	Keyed
Throat (mm)	127
Gear Speed	5
Weight (kg)	21.2
Article Number	5133002715
EAN Code	4892210125439

### Standard equipment (RDP102L)

Stand, 13mm drill chuck, safety key, hex key

## RAP1500G 500W Thicknesser

- Durable thicknesser capable of planing materials up to 318 mm wide and 153 mm high at a maximum pass of 3 mm
- Easy height adjustment for precise cutting
- Table extension with rollers provide flexibility and tackle a variety of woodworking applications



Power	1500W
No load speed (rpm)	9000
Feed speed (m/min)	8
Depth per pass (mm)	3
Weight (kg)	32
Article Number	5133002719
EAN Code	4892210125859

### Standard equipment (RAP1500G)

Push stick, rubber feet, hex key, wrench

## RLS01

### Adjustable Leg Stand 294cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1380 - 2904
Loading capacity (kg)	181
Weight (kg)	21.9
Article Number	5133001200
EAN Code	4892210118363

#### Standard equipment (RLS01)

2 x saw mount bracket, 2 x work support, extension arms

## RLS02

### Adjustable Leg Stand 216cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	da 1008 a 2160
Loading capacity (kg)	181
Weight (kg)	15.9
Article Number	5133001817
EAN Code	4892210122582

#### Standard equipment (RLS02)

2 x saw mount bracket, 2 x work support, extension arms



# Power Tool Accessories



12pcs Multitool Blade Pack

Article number:  
5132003928



55pc Mixed Screw Driving Kit

Article number:  
5132004357



32pcs Mixed Drilling and Driving Case

Article number:  
5132004425



38pcs Drilling & Screw Driving Kit.

Article number:  
5132004388



ONE+ Lanyard to hang your tool

Article number:  
5132004299



28pc TORQUE+ Set

Article number:  
5132003790



71pc Screw Driving Kit

Article number:  
5132004389



8pcs SDS+ Drill Kit

Article number:  
5132004209



22" Tool Box



Article number:  
5132004363

Also available  
in 19":  
Article number:  
5132004362

Wall Mounted Cabinet  
- With Door



Article number:  
5132004358

Wall Mounted Cabinet  
- Open shelf



Article number:  
5132004359

5m Measuring Tape



Article number:  
5132004360

Also available  
as 8m:  
Article number:  
5132004361



Find out more about our garden range at:

**[ryobitools.eu](https://ryobitools.eu)**

or pick up a garden tools  
catalogue in-store

The Ryobi logo is displayed in white, bold, sans-serif capital letters on a red rectangular background. A registered trademark symbol (®) is located at the top right of the red box.

**RYOBI**®

A photograph of a garden scene is visible on the left side of the page. It features a white picket fence in the foreground, with various green plants and flowers behind it. The background is a soft-focus green wall or hedge.

# Take a look at our **Lawn and Garden** range

Have every outdoor  
corner covered

A range of garden tools for creating  
immaculate-looking gardens.

From mowing and trimming to woodcutting and garden tidy up,  
you can look after your entire garden with Ryobi through every season.  
Choose between cordless, electric or petrol power to suit your needs.



[ryobitools.eu](http://ryobitools.eu)

**DESIGNED TO DO MORE**

# RYOBI®



DESIGNED TO DO MORE

**Techtronic Industries (UK) Limited**  
1st Floor Unit 3 Globeside Business Park  
Fieldhouse Lane, Marlow, Bucks SL71HZ

**Tel:** +44(0) 1628 894 400  
**Fax:** +44(0) 1628 894 401  
**Email:** Sales@tti-uk.com  
**Web:** www.ryobitools.eu



Dealer stamp:

**Technical helpline:** +44(0) 800 389 0305  
For your nearest local service centre  
please contact customer services  
on: +44(0) 1628 894 400



Content of the catalogue is correct at time of going to print. Ryobi® reserve the right to change images and prices without prior notice. RYOBI® is a registered trademark of Ryobi Limited used under licence.